

INJ-C200G-bt-T

Industrial Gigabit IEEE 802.3bt Type 4 4PPoE Injector;
EOT: -40°C ~ 75°C



Features


- ▶ Supports 2*10/100/1000Tx with 1*IEEE 802.3bt Compliant
- ▶ IEEE 802.3af/at Backwards Compatible
- ▶ Provides Data and Power over Ethernet to Power Device
- ▶ Provides up to 97 Watts on PoE port
- ▶ Power Input: 53~57VDC in 4-Pin Removable Terminal Block
- ▶ IP30 Rugged Metal Case Design
- ▶ DIN-Rail or Wall Mountable
- ▶ Operating Temperature Range: -40°C to 75°C
- ▶ 5-Year Warranty

INTRODUCTION

Antaira Technologies' INJ-C200G-bt-T is an industrial high-power IEEE 802.3bt Type 4 Power over Ethernet (PoE) injector that is backwards compatible with the previous IEEE 802.3af/at standards. By utilizing multiple pairs on the RJ45 cable this industrial-grade PoE injector is capable of providing up to 97 Watts of power to tail end devices. Each port supports 10/100/1000Tx with one port supporting PoE.

The INJ-C200G-bt-T is IP30 rated, DIN-rail and wall-mountable, and supports an extended operating temperature range of -40°C to 75°C, making it ideal for outdoor or harsh industrial applications.

DIMENSIONS



Unit: mm (inch)

Din-rail

Wall-mount

SPECIFICATIONS

Technology		Mechanical Characteristics		
Standards	IEEE 802.3 10Base-T Ethernet	Housing	Metal, IP30 protection	
	IEEE 802.3u 100Base-TX Fast Ethernet	Dimensions	26 x 95 x 75 mm (W x H x D)	
	IEEE 802.3ab 1000Base-T Gigabit Ethernet	Weight	Unit: 0.60 lb Shipping: 1.0 lb	
	IEEE 802.3af/at/bt Power over Ethernet	Mounting	DIN-Rail mounting, Wall mounting	
Switch Properties		Power Requirement		
Switch Architecture	14,880pps for Ethernet Port	Input Voltage	53~57VDC, Redundant Inputs	
	148,800pps for Fast Ethernet Port	Power Connection	Removable 4-Contact Terminal Block	
	1,488,000pps for Gigabit Ethernet Port	Overload Current Protection	Present	
Port Interface		Reverse Polarity Protection	Present	
Ethernet Port	2*10/100/1000 Base-T(X) with 1*4PPoE (97W/Port)	System Power Consumption	1W	
	PoE Pin Assignment	V+ for pin 3, 4, 5, 6	PoE Power Budget	97W
LED Indicators	Power and PoE	V- for pin 1, 2, 7, 8	Environmental Limits	
			Operating Temperature	-40°C to 75°C
		Storage Temperature	-40°C to 100°C	
		Ambient Relative Humidity	5% to 95%, (non-condensing)	
			Regulatory Approvals	
			EMI	FCC Part 15 Subpart B Class A, CE EN55032/EN61000-6-4 Class A
			EMS	CE EN55035/EN61000-6-2 Class A, IEC61000-4-2,3,4,5,6,8
			Free Fall	IEC60068-2-32
			Shock	IEC60068-2-27
			Vibration	IEC60068-2-6
			Green	RoHS Compliant
			Certifications	FCC, CE
			Warranty	5 Years

ORDERING INFO

INJ-C200G-bt Industrial Gigabit IEEE 802.3bt Type 4 4PPoE Injector; EOT: -40°C to 75°C

Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508
Support: +1 347 719 4508

1309 Coffeen Ave
Ste 1200
Sheridan
WY 82801
USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050
Support: +44 (0)1785 879 050

Unit A5 Douglas Park
Stone Business Park
Stone
ST15 0YJ
United Kingdom

VAT Number: 120 9546 28
Business Registration Number: 07699660