



# ARES-1965

Machine Vision Controller with 6<sup>th</sup> / 7<sup>th</sup> Generation Intel® Core™ / Celeron® Processors




## Features

- 6<sup>th</sup> / 7<sup>th</sup> generation Intel® SkyLake-U / Kaby Lake-U platform
- 4CH GbE PoE (Power over Ethernet), IEEE 802.3af compliant designed for GigE camera
- 16 x DI/DO with 1.5kV isolation protection
- PoE Ports Comply with IEC61000-4-5 (±1kV Surge Protection)
- Support 4 x USB3.0, 2 x RS-232 and 1 x VGA
- Internal USB2.0 Type-A connector for internal dongle
- Fanless Design

Industrial Automation System

System		Environmental	
CPU	Soldered onboard Intel® Celeron® 3855U, 1.6GHz 2M L2 Cache, 15W TDP	Operating Temp.	0 ~ 55 °C (32 ~ 131°F), ambient w/ air flow
	Soldered onboard Intel® Core™ i7-6500U, 2.5GHz 4M L2 Cache, 15W TDP	Storage Temp.	-20 ~ 60°C (-4 ~ 140°F)
	Soldered onboard Intel® Celeron® 3965U, 2.2GHz 2M L2 Cache, 15W TDP	Operating Humidity	10-95% @ 55 °C (non-condensing)
	Soldered onboard Intel® Core™ i3-7100U, 2.4GHz 3M L2 Cache, 15W TDP	Vibration	5~500Hz 3 Grms X,Y,Z axis w/mSATA, according to IEC 60068-2-64
	Soldered onboard Intel® Core™ i5-7300U, 2.6GHz 3M L2 Cache, 15W TDP	Shock & Crash	10G peak acceleration (11 m sec. duration), operation
	Soldered onboard Intel® Core™ i7-7500U, 2.7GHz 4M L2 Cache, 15W TDP		30G peak acceleration (11 m sec. duration), nonoperation
Memory	1 x 260-pin DDR4 SO-DIMM socket, supporting 2133MHz SDRAM up to 16GB	According to IEC 60068-2-27	
Chipset	Intel® SoC Integrated	Qualification	
Graphics	Intel® HD Graphics	Certification	CE, FCC Class A
LAN Chipset	1x Intel® i219LM PCIe controller	Power Requirement	
	4x Intel® i211AT PCIe controller for PoE	Power Input	DC 9~36V
Watchdog Timer	1~255 levels reset	Power Consumption	Max. 60W (w/o I/O card)
I/O		Storage	
Serial Port	2 x RS232 DB-9 connectors	Type	1 x 2.5" internal drive bay for HDD/SSD 1 x mSATA port
USB Port	4 x USB 3.0/2.0 Type A connectors	Mechanical	
	1 x Vertical USB 2.0 (type A) internal	Construction	Metal + Aluminum Alloy
LAN	4 x RJ-45 ports for PoE, IEEE802.3af w/ ±1kV Surge Protection (Provide up to 30W power in total)	Mounting	Wall-mount / DIN-rail
	1 x RJ-45 ports for PHY Giga	Weight	2.3KG
Video Port	1 x VGA	Dimensions (W x D x H)	90 x 140 x 195 mm (3.54" x 5.51" x 7.68")
Storage	1 x SATA 3.0 Port and 1 x SATA Power connector	OS Support	
	1 x mSATA port	Window 7/ Windows 10 IoT	Linux: Ubuntu (Kernel: 3.1X)
Digital I/O	16 x DI, 16 x DO (1.5kV isolation protection / DO support 24V 200mA)		
Expansion Bus	1 x mSATA (SATA, Full size)		
	1 x Mini PCIe slot (PCIe x 1 + USB2.0, Full size)		


All specifications are subject to change without notice. Last update: 30/10/2020



**Ordering Information**

ARES-1965-3855U-2WD4 (BTO)	ARES-1965 w/ Intel® Celeron 3855U, 2 x COM, 16 x DI/DO, 1 x GbE Lan, 4 x PoE, 5 x USB
ARES-1965-6500U-2WD4 (BTO)	ARES-1965 w/ Intel® Core™ i7-6500U, 2 x COM, 16 x DI/DO, 1 x GbE Lan, 4 x PoE, 5 x USB
ARES-1965-3965U-2WD4 (BTO)	ARES-1965 w/ Intel® Celeron 3965U, 2 x COM, 16 x DI/DO, 1 x GbE Lan, 4 x PoE, 5 x USB
ARES-1965-7100U-2WD4 (BTO)	ARES-1965 w/ Intel® Core™ i3-7100U, 2 x COM, 16 x DI/DO, 1 x GbE Lan, 4 x PoE, 5 x USB
ARES-1965-7300U-2WD4 (BTO)	ARES-1965 w/ Intel® Core™ i5-7300U, 2 x COM, 16 x DI/DO, 1 x GbE Lan, 4 x PoE, 5 x USB
ARES-1965-7500U-2WD4 (BTO)	ARES-1965 w/ Intel® Core™ i7-7500U, 2 x COM, 16 x DI/DO, 1 x GbE Lan, 4 x PoE, 5 x USB

**Dimensions**



**Standard Accessories**

WMK-1965	Wall-mount kit for ARES-1965	
DRK-1965	DIN-Rail kit for ARES-1965	

**Optional Accessories**

64/128/256GB mSATA	mSATA MLC 64/128/256GB	
64/128/256GB SSD	2.5" SSD MLC 64/128/256GB Kit	
MM-4C-4G/8G/16G	DDR4-2133 4GB/8GB/16GB SDRAM	
PAC-120W6B-FSP	19V/6.3A 120W AC/DC adapter kit	
WiFi-AT4550	Atheros QCNFA324 WiFi module w/ 2 x 30cm internal wiring (must be used with 2 x ANT-D11)	
ANT-D11	1 x Wi-Fi Dual-band 2.4G/5G antenna	

## Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

### US

[sales@assured-systems.com](mailto:sales@assured-systems.com)

Sales: +1 347 719 4508  
Support: +1 347 719 4508

1309 Coffeen Ave  
Ste 1200  
Sheridan  
WY 82801  
USA

### EMEA

[sales@assured-systems.com](mailto:sales@assured-systems.com)

Sales: +44 (0)1785 879 050  
Support: +44 (0)1785 879 050

Unit A5 Douglas Park  
Stone Business Park  
Stone  
ST15 0YJ  
United Kingdom

VAT Number: 120 9546 28  
Business Registration Number: 07699660