




## ASL-156-HAN-SAN 15.6" Hand Sanitizer Signage Display



Promote hygiene within your facility with the Android based hand sanitizer signage display. Available with a 15.6" or 21.5" display, these Android base media players provide remote content updates with playback of video, images, HTML web pages and scrolling text messages.

### Main Features:

- ✓ Hand Sanitiser Dispenser Sensor
- ✓ Hygienic Waterproof Casing
- ✓ 1500-5000ml Sanitiser Volume with Low Level Indicator Light
- ✓ Includes Drip Tray
- ✓ Optional Battery
- ✓ Optional Camera
- ✓ Freestanding or VESA Wall-mount

### Designed For:

- ✓ Gymsnasiums
- ✓ Hotels
- ✓ Self-service Terminals
- ✓ Public Information Displays

[www.assured-systems.com](http://www.assured-systems.com)




## ASL-156-HAN-SAN 15.6" Hand Sanitizer Signage Display

### Specifications:

PANEL	Panel Model	15.6inch TFT LCD
	Max Resolution	1920x1080
	Aspect Ratio	16:09
	Pixel Pitch	0.17925*0.17925
	Viewing Angle	85/85/85/85
	Contrast Ratio	700:1
	Brightness	300cd/m <sup>2</sup>
	Response Time	25ms
	Display Area (mm)	344.16x193.59mm
	Panel Size(mm)	359.5x223.8x3.2mm
Screen Weight	1.2kg	
Lamp Type	WLED	
INTERNAL MEDIA PLAYER	CPU	Quad-core ARM Cortex-A17, 1.8GHz
	GPU	ARM Mali-T764
	RAM	2/4GB DDR3
	ROM	8/16 GB Flash
	OS	Android 7.1
CONNECTOR	USB 2.0	X2
	HDMI (Output)	X1
	SD	X1
	Rj45	X1
	3G SIM (Optional)	X1
CONNECTIVITY	LAN	RJ45 Port, 10/100M Ethernet
	WiFi	Built-in WiFi 802.11B/G/N
	3G (Optional)	WCDMA
FILE SUPPORT	Video	H.264, MKV, WMV9, MPEG 1/2/4, HD Divx, Xvid, RM/RMVB; BMP/PNG/GIF/JPEG
	Image	BMP/PNG/GIF/JPEG
	Audio	MP3,WMA,WAV,EAAC+, MP2 dec, Vorbis (Ogg), AC3, FLAC, APE, BSAC
	Scrolling Text	txt

HDMI DISPLAY	Output Mode	HDMI 480P HDMI 576P HDMI 720P 50Hz HDMI 720P 60Hz HDMI 1080I 60Hz HDMI 1080I 60Hz HDMI 1080P 24Hz HDMI 1080P 50Hz HDMI 1080P 60Hz
	ON-SCREEN DISPLAY LANGUAGES	English, French, German, Italian, Polish, Russian, Simplified Chinese, Spanish, Turkish, Arabic, Japanese, Traditional Chinese etc.
	DISPLAY MODE	Portrait & Landscape
	TOUCH	PCAP Touch (optional)
	POWER	Mains Power Consumption AC 100-240V, 50-60 Hz 16 W
	SOUND	Built-in Speakers 2 x 5W
DIMENSION & WEIGHT	Machine Size	
	Machine Weight	
	Carton Size	
	Carton Weight	
OTHER	Regulatory Approvals CE, FCC, ROHS	
Warranty	1 year warranty	
ACCESSORIES	Included Remote Control, Power supply, User manual, Keys, Screws	



## Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

### US

[sales@assured-systems.com](mailto:sales@assured-systems.com)

Sales: +1 347 719 4508  
Support: +1 347 719 4508

1309 Coffeen Ave  
Ste 1200  
Sheridan  
WY 82801  
USA

### EMEA

[sales@assured-systems.com](mailto:sales@assured-systems.com)

Sales: +44 (0)1785 879 050  
Support: +44 (0)1785 879 050

Unit A5 Douglas Park  
Stone Business Park  
Stone  
ST15 0YJ  
United Kingdom

VAT Number: 120 9546 28  
Business Registration Number: 07699660