

Giada F110D

Bay Trial Fanless Signage Player



Features






- ◆ Intel® Celeron J1900/N2807 Processors
- ◆ 1 x SO-DIMM DDR3L, Up to 8GB
- ◆ Two Independent Displays VGA+HDMI
- ◆ 1 x 2.5" SATA, 1 x mSATA, 1 x TF Card Reader
- ◆ 1 x USB3.0, 4 x USB2.0, 2 x RS232
- ◆ 2 x RJ45, 1 x Mini-PCIe for WiFi/BT/3G/4G, 1 x SIM Slot

Specifications

RoHS CE FC CCC

		F110D-BD000-V2	F110D-BB000-V2
Processor	CPU	Intel® Celeron J1900	Intel® Celeron N2807
	Frequency	2.00 GHz (Up to 2.42 GHz)	1.58 GHz (Up to 2.16 GHz)
	BIOS	AMI Source Code	
	Chipset	SOC	
Memory	Type	DDR3L-1333 MHz	
	Socket	1 x SO-DIMM	
	Max Size	8GB	
Graphics	GPU	Intel® HD Graphics	
	Graphic Engine	DirectX 11.1, OpenGL 3.0, OCL 1.1, OpenGL ES 2.0	
	HDMI	1 x HDMI (Max. 1920 x 1080 @60Hz)	
	VGA	1 x VGA (Max. 2048 x 1280 @60Hz)	
Network	Controller #1	Realtek 8111F Gigabit Ethernet	
	Controller #2	Realtek 8111F Gigabit Ethernet	
	Interface	2 x RJ45	
I/O	USB	1 x USB 3.0, 4 x USB 2.0	
	Display Interface	1 x VGA, 1 x HDMI	
	LAN	2 x RJ45	
	Serial Port	2 x RS232	
	Audio	1 x MIC-IN, 1 x AUDIO OUT & SPDIF	
	Mini-PCIe#1	1 x Full-size Mini-PCIe for mSATA	
	Mini-PCIe#2	1 x Half-size Mini-PCIe for WiFi/BT/3G/4G	
	SIM	1 x SIM Slot	
	JAHC Switch	1	
	LED Indicators	1 x HDD LED, 1 x Power LED	
Storage	SATA	1 x 2.5" SATA	
	mSATA	1 x Full-size mSATA	
	Card Reader	1 x TF Card Reader	
JAHC Tech	WatchDog Timer	0~255 Second Time Out Support	
	Auto Power On	Power Activated Automatically Start	
	RTC	Set Up Independently Every day, A Week as a Cycle	
	Remote Control	By IR Controller for Power On	
	Wake On Lan	Supported	
Operation System	Windows	Windows 7/8.1/10	
	Linux	Supported	

		F110D-BD000-V2	F110D-BB000-V2
Power	Power Type	DC-IN	
	Power Adapter	19V/2.1A	
Mechanical	Dimensions (W x D x H)	189.6mm x 148.3mm x 26mm	
	Fanless	Yes	
	Construction	Metal	
	Mounting(Optional)	Desk/Wall Mounting and VESA Mounting Kit (JZ183)	
	Color	Black	
Environment	Operating Temperature	0°C ~ 40°C (32 °F ~ 104 °F) at 0.7m/s Air Flow	
	Relative Humidity	95% @ 40°C (non-condensing)	
Certification	Certification	CE, FCC Class B, CCC	



Order Information

Part Number	Intel CPU	RAM	VGA	HDMI	GbE	RS232	USB	SATA	mSATA	Operating Temperature
F110D-BD000-V2	Celeron J1900	Up to 8 GB	1	1	2	2	1 x USB3.0 4 x USB2.0	1	1	0 ~ 40°C
F110D-BB000-V2	Celeron N2807									

Packing List

Part Number	Description	Part Number	Description
-	1 x F110D	-	1 x Drive Disk
-	1 x User Manual	-	1 x AC Power Adapter
-	1 x AC Power Cable	-	1 x WiFi Antenna

The product appearance, specifications and features are subject to change. Giada reserves the right of final interpretation for the content hereinabove.

versions: V1.0

Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508
Support: +1 347 719 4508

1309 Coffeen Ave
Ste 1200
Sheridan
WY 82801
USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050
Support: +44 (0)1785 879 050

Unit A5 Douglas Park
Stone Business Park
Stone
ST15 0YJ
United Kingdom

VAT Number: 120 9546 28
Business Registration Number: 07699660