

dli computing without boundaries



DLI 9000 rugged mobile tablet

retail & hospitality



Intel® Atom processor | 9.7" indoor/outdoor LCD | barcode scanner | magstripe | color camera | rfid | debit pin pad | GPS, WLAN, WWAN, WPAN



- Other Benefits to Servicing the Retail Customer:**
Immediate access to products, pricing, & inventory allowing for real-time customer centric selling. On demand creation of virtual customized products. Instant completion of customer satisfaction surveys & loyalty card processing. Improved customer recognition. Creation and deployment of return counters and POS kiosks.
- Other Features of the DLI 9000 Rugged Tablet:**
Cellular voice and data capabilities. Dual integrated color cameras. Intel® Atom processor with 2GB of memory and 64GB of storage. Fully integrated WiFi, GPS, CDMA/GPRS and Bluetooth radios.
- Other Benefits of DLI:**
Comprehensive Implementation Services. Customized OS Image Support. Custom Tailored Service Plans.



Finally. Five Powerful Payment Features. One Talented Machine.

Retailers have strived to improve the customer experience for years... DLI listened. Our exclusive 5-in-1 payment module is an evolutionary design offering five features for full service payment processing. **The module's state of the art design leaves no sale incomplete.** This 5-in-1 payment module includes a magstripe, debit pin pad, contactless payment (NFC™), EMV™, and barcode scanning. The DLI 9000 rugged tablet is the perfect solution to **capture the customer & complete the sale.**

This rugged tablet empowers you to deliver immediate customer facing solutions resulting in increased sales whether you are collecting table side orders, line busting, or providing roaming customer service. The DLI 9000 rugged tablet serves as a portable management tool by allowing direct & immediate access to your CRM and ERP. Built on common PC architecture, the DLI 9000 rugged tablet allows for increased flexibility in the management & maintenance of both OS images (Windows® or Android®) and OPOS/JPOS compliant drivers.

Housed in an impact-resistant IP54 enclosure, DLI has successfully merged the industrial requirements of a rugged tablet with the sleek design desired by the retail market revolutionizing the tablet industry. Its lightweight design, weighing in at less than two pounds, and large industrial rated 9.7" indoor/outdoor LCD touchscreen, allows you to easily go to the customer with full portable payment processing. The DLI 9000 rugged tablet offers your customer a secure & convenient way to pay with a PCI compliant debit pin pad and integrated TPM chip set.

The DLI 9000 rugged tablet delivers the flexibility, reliability and return on investment that today's retail operations demand. **Contact DLI today for more information at: (800) 526-1299.**

www.dataitd.com

DLI 9000 rugged mobile tablet

Revision 1.4 11/8/2012



**Intel® Atom Processor • 9.7" indoor/outdoor LCD • GPS
Barcode Scanner • Magstripe • Color Camera • RFID
Debit Pin Pad • WLAN • WWAN • WPAN**

System

- **Casing** - Impact-resistant ABS+PC polymer, IP54 rated, multiple 4ft drops to bare concrete
- **Processor** - Intel® Atom Z670 1.5GHz
- **Chipset** - Intel® SM35 Express, L2 Cache: 512KB
- **Display** - 9.7" (1024 X 768) Contrast Ratio: 800:1
- 400NIT LED Backlit indoor/outdoor readable
- **Touchscreen** - Projective Capacitive
- **Video** - 256MB
- **Audio** - Intel High Definition Audio; dual integrated speakers
- **Memory** - 2GB DDR2 800Mhz
- **Storage** - SATA Micro SSD 64GB
- **Security** - Trusted Platform Module (TPM 1.2)
- **Operating System** - Windows® 7 Pro/Ultimate, Windows® Embedded 7, Windows® Embedded POSReady 7, Android® 4.0 ICS
- **Ports** - (1) USB 2.0, (1) HDMI, (2) I/O Pass through connections to the cradle, (2) RF Pass through connections to the cradle
- **Barcode Scanner** - Integrated CMOS 1D/2D Imager (OPOS/JPOS Compliant) (Optional 5-in-1 Module)
- **Magstripe Reader** - Integrated 3 track encrypted sensor, Single head (OPOS/JPOS Compliant) (Optional 5-in-1 Module)
- **RFID** - Integrated reader ISO 14443 with SAM Support (OPOS/JPOS Compliant) (Optional 5-in-1 Module) *Supports NFC™ & Contactless Payment
- **EMV™ Smartcard Reader** - Integrated EMV™ ISO/IEC 7816 contact reader (OPOS/JPOS Compliant and supporting Direct IO commands) (Optional 5-in-1 Module)
- **Debit Pin Pad** - Integrated PCI Certified Debit Pin Pad (OPOS/JPOS Compliant and supporting Direct IO commands) (Optional 5-in-1 Module)
- **Keys** - (4) Programmable keys, (1) Power on/off key, (1) Battery Status key, (2) Camera/Barcode Scanner keys (L & R side)

Environmental

- **Temperature** - Operating 0°F to +122°F (-17°C to 50°C)
- Storage -4°F to +149° (-20°C to 65°C)
- **Impact** - Multiple 4' drops to bare concrete
- **Vibration** - 5-500Hz 1G PTP
- **Shock** - Operating -20G (11ms); Non Operating -40G (11ms)
- Crash -50G (11ms)
- **EMI/EMC** - FCC Class B, CE
- **Water/Dust** - IP54; Dust - (Protected against dust - limited ingress), Water - (Protected against sprays from all directions - limited ingress)

Physical

- **Dimensions** - H-8.11" (206mm), W-10.35" (263mm), D-0.60" (15.4mm)
- **Weight** - 2lbs 11oz (with battery pack & 5 in 1 Module)
- **Warranty** - Standard One Year. Available No-Fault Service Coverage
- **GPS** - ublox 6 chipset with Internal Active Patch Antenna
- **Camera** - Color, (1) Forward facing 1.3MP, (1) Rear facing 2MP w/flash
- **WiFi** - 802.11 a/b/g/n WiFi Radio (Cisco® CCX4)
- **WWAN** - Integrated Gobi3000™ GPRS/CDMA Cellular Card (optional)
- available cellular carriers: Verizon®, AT&T®, T Mobile®
- **Bluetooth** - Class 2 Radio
- **Voice Communications** - Integrated microphone, Integrated 3.5mm headset/mic jack
- **Ambient Light Sensor** - Integrated control via EC & OS
- **Power** - Battery Pack: 4000mAh Lithium Ion Battery (6hrs of usage @ level 7 brightness) *Wifi, Bluetooth enabled
- **AC Adapter** - 19VDC 65Watt 110/220 VAC 50/60 Hz Input, multi-country line cords available

Accessories

- **Desktop Cradle** - Port replicator, (3) USB, (1) Ethernet 10/100, (1) VGA, (1) K-Lock
- **Vehicle Cradle** - Power filtering 10v-60v Input, Port replicator, (3) USB, (1) Ethernet 10/100, (1) RS232, External Cellular, WiFi and GPS antenna passive connections, (2) RF Pass through connections, (1) K-Lock
- **7-Bay Ethernet Cradle** - 7 bay unit charging cradle with Ethernet 10/100 switch

Information in this document is subject to change without notice.



computing without boundaries

shipping: 703 data ltd parkway la porte, indiana 46350 • mail: p.o. box 761 la porte, indiana 46352
toll free: 800.526.1299 • fax: 219.362.1937 • www.data ltd.com

Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508
Support: +1 347 719 4508

1309 Coffeen Ave
Ste 1200
Sheridan
WY 82801
USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050
Support: +44 (0)1785 879 050

Unit A5 Douglas Park
Stone Business Park
Stone
ST15 0YJ
United Kingdom

VAT Number: 120 9546 28
Business Registration Number: 07699660