


U.K. +44 1785 879050 U.S. +1 347 7194508 www.assured-signage.com

Sureview 32" Android PCAP Touch Screens





Ultra Responsive Interactivity

Optimum sensitivity to touch gestures and rapid response times ensure that users have a smooth, effortless experience. There's no need to touch the same thing multiple times or wait for a touch to register when interacting with these ultraresponsive displays.



Giant Tablet Styling

The tempered edge-to-edge glass face, rounded corners, super slim depth, aluminium surround and thin black border give a captivating tablet-like aesthetic. This stylish glass face also increases the durability of the display, protecting the LCD panel and other internal components from potential damage in public spaces.





Concave Indent Profile



24/7 Commercial Grade



Integrated Android Media Player



10-Point PCAP Touch



Surface Plasma Treatment



Lightweight Design



450cd/m² IPS Panel



Touch Screen Monitor



Free Wall Mount



Integrated Speakers



3 Year Commercial Warranty

SUREVIEW







Other Features

24/7 Commercial Use

These displays are able to be in constant use 24/7 for over 70,000 hours thanks to their commercial grade LCD panel, media player and other components. They also have no external buttons or controls to prevent tampering.





Surface Plasma Treatment

A special oleophobic coating makes the glass front more resistant to the oily residue left by fingerprints and improves the smoothness of touch gestures. Unlike other touch screens on the market, this glass is not etched, which vastly enhances the optical clarity.



450cd/m² IPS Panel

Thanks to the commercial grade IPS technology, these panels are designed to accurately display image quality and colour depth with no fall-off in colour accuracy, as well as achieving ultimate lifelike colour temperature in both landscape and portrait orientations.





Content Management System

Quickly and easily create your own interactive content by utilising our user-friendly CMS, which can be packaged with the display for a small charge.



10-Point PCAP Touch

Having up to 10 touch points allows users to perform a variety of touch gestures, including manipulating images and zooming in/out - much like you would with a domestic tablet or smart phone. It also allows multiple users to interact with the screen at the same time.



Lightweight Design


With a robust but lightweight aluminium enclosure and moulded polymer rear, these displays are over 30% lighter than their predecessor, allowing for easier installation and maintenance.





Touch Screen Monitor

Connect to an external source, such as a third-party PC or media player, using the built-in USB and HDMI or VGA/3.5mm audio inputs to use the display as touch screen monitor. This increases the versatility of applications that can be run.













6 тоисн usв

Free Wall Mount


A super slim wall mount is included at no extra cost, enabling you to install your screen in either landscape or portrait orientation with a secure and aesthetically-pleasing flush fit to the wall.







Key Features



SUREMIAW





Specification Table

Resolution			32 Inch
Display Area (mm)		Resolution	
Aspect Ratio 16.9	Panel		
Brightness (cd/m²) 450 Colour 16.7M Viewing Angle 178° Contrast Ratio 5,000-1 Douch Technology Projected Capacitive Ouch Points 10 Glass Hardness 7H minimum undid Speaker Type Inputs (when used as monitor) HDMI, VGA Audio Input (when used as monitor) Audio Socket (3.5mm) Y Input Power Consumption (W) Input Voltage AC110-240V (50Hz-60Hz)			
Colour			
Viewing Angle			
Contrast Ratio S,000:1			
Touch Technology Projected Capacitive			1
Touch Points Touch Points Touch Points Touch Points Glass Hardness TH minimum			
Glass Hardness 7H minimum	Touch		
audio Speaker Type 2W, SΩ (x2) V Inputs Inputs (when used as monitor) HDMI, VGA Audio Input (when used as monitor) Audio Socket (3.5mm) Ower Power Consumption (W) 50 Input Voltage AC110-240V (50Hz-60Hz) Input Voltage AC110-240V (50Hz-60Hz) Package Size (WxHxD mm) 868x560.5x165 VESA Holes (mm) 400x200 Net Weight (kg) 10.3 Gross Weight (kg) 13.2 Operating Temperature 0 °C to 50 °C Storage Temperature -30°C to 60°C Operating Humidity 10% to 80% Storage Humidity 5% to 95% Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Media Resolution 1920x1080/1080x1920 CPU Quad-Core ARM MolT-T64 RAM DDR3 2GB Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 1 x USB (HOST) LAN 100M/1000M Ethernet Wi-Fi 8GB eMMC USB 1 x USB (MSC) <			
Inputs (when used as monitor)	Audio		
Winds Audio Input (when used as monitor) Audio Socket (3.5mm) Ower Power Consumption (W) Input Voltage 50 Hond Voltage ACT10-240V (50Hz-60Hz) Unit Size (WxHxD mm) 757,8x452,3x49.3 Package Size (WxHxD mm) 868x560.5x165 VESA Holes (mm) 400x200 Net Weight (kg) 10.3 Gross Weight (kg) 13.2 Operating Temperature 0 °C to 50 °C Storage Temperature -30°C to 60°C Operating Humidity 10% to 80% Storage Humidity 5% to 95% Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Media Resolution 1920x1080/1080x1920 CPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Cortex A17, 1.6GHz RAM DDR3 2GB LAN DDR3 2GB LAN 10M/1000M Ethernet Wi-Fi 802.11b/g/r/ac OS Android 7.1 GR Android 7.1 Ccessories OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1	AV Inputs		
Power Consumption (W) S0			
Input Voltage			
Unit Size (WxHxD mm) 757.8x452.3x49.3 Package Size (WxHxD mm) 868x560.5x165 Package Size (WxHxD mm) 400x200 Net Weight (kg) 10.3 Gross Weight (kg) 13.2 Operating Temperature 0 °C to 50 °C Storage Temperature 30 °C to 60 °C Operating Humidity 10% to 80% Storage Humidity 5% to 95% Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Media Resolution 1920x1080/1080x1920 CPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Mali-T764 RAM DDR3 2GB Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 1 x USB (HOST) LAN 100M/1000M Ethernet Wi-Fi 802.11b/g/n/ac OS Android 7.1 Grossories Included Remote Control, User Manual, Power Cable, USB to USB Cable, Wi-Fi Aerial, Wall Mount Optional Floor Stand/Trolley, Ceiling Mount, Table Stand Apranty Period 3 Year Warranty	Power		11
Package Size (WxHxD mm)			
dechanical VESA Holes (mm) 400x200 Net Weight (kg) 10.3 Gross Weight (kg) 13.2 Authorn Member Operating Temperature 0 °C to 50 °C Storage Temperature 30°C to 60°C Operating Humidity 10% to 80% Storage Humidity 5% to 95% Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Media Resolution 1920x1080/1080x1920 CPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Mali-T764 RAM DDR3 2GB Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 1 x USB (HOST) LAN 100M/1000M Ethernet Wi-Fi 802.11b/g/n/ac OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Cocessories Included Remote Control, User Manual, Power Cable, USB to USB Cable, Wi-Fi Aerial, Wall Mount Autranty Warranty	Mechanical		
Net Weight (kg)			
Gross Weight (kg)			
Operating Temperature 0 °C to 50 °C Storage Temperature -30°C to 60°C Operating Humidity 10% to 80% Storage Humidity 5% to 95% Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Media Resolution 1920x1080/1080x1920 CPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Mali-T764 RAM DDR3 2GB Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 1 x USB (HOST) LAN 100M/1000M Ethernet Wi-Fi 802.11b/g/n/ac OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Included Remote Control, User Manual, Power Cable, USB to USB Cable, Wi-Fi Aerial, Wall Mount Optional Warranty Warranty Period 3 Year Warranty			***
Storage Temperature			
Normanian Operating Humidity 10% to 80%	Environmental		
Storage Humidity 5% to 95% Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG) Media Resolution 1920x1080/1080x1920 CPU Quad-Core ARM Cortex A17, 1.6GHz GPU Quad-Core ARM Mali-T764 RAM DDR3 2GB Internal Storage 8GB eMMC USB 1x USB (OTG/HOST), 1 x USB (HOST) LAN 100M/1000M Ethernet Wi-Fi 802.11b/g/n/ac OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Cccessories Included Remote Control, User Manual, Power Cable, USB to USB Cable, Wi-Fi Aerial, Wall Mount Optional Floor Stand/Trolley, Ceiling Mount, Table Stand			
Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)			
Media Resolution			
CPU Quad-Core ARM Cortex A17, 1.6GHz	Computer		-
GPU Quad-Core ARM Mali-T764 RAM DDR3 2GB Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 1 x USB (HOST) LAN 100M/1000M Ethernet Wi-Fi 802.11b/g/n/ac OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Cccessories Included Remote Control, User Manual, Power Cable, USB to USB Cable, Wi-Fi Aerial, Wall Mount Optional Floor Stand/Trolley, Ceiling Mount, Table Stand Warranty Warranty Period 3 Year Warranty			
RAM DDR3 2GB Internal Storage 8GB eMMC USB			Quad-Core ARM Cortex A17, 1.6GHz
Internal Storage		GPU	Quad-Core ARM Mali-T764
USB		RAM	DDR3 2GB
LAN 100M/1000M Ethernet Wi-Fi 802.11b/g/n/ac OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Included Remote Control, User Manual, Power Cable, USB to USB Cable, Wi-Fi Aerial, Wall Mount Optional Floor Stand/Trolley, Ceiling Mount, Table Stand Warranty Warranty Warranty		Internal Storage	8GB eMMC
Wi-Fi 802.11b/g/n/ac OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Included Remote Control, User Manual, Power Cable, USB to USB Cable, Wi-Fi Aerial, Wall Mount Optional Floor Stand/Trolley, Ceiling Mount, Table Stand Agranty Warranty Warranty		USB	1 x USB (OTG/HOST), 1 x USB (HOST)
OS Android 7.1 Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Included Remote Control, User Manual, Power Cable, USB to USB Cable, Wi-Fi Aerial, Wall Mount Optional Floor Stand/Trolley, Ceiling Mount, Table Stand Warranty Warranty		LAN	100M/1000M Ethernet
Graphic Engine OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1 Included Remote Control, User Manual, Power Cable, USB to USB Cable, Wi-Fi Aerial, Wall Mount Optional Floor Stand/Trolley, Ceiling Mount, Table Stand Warranty Warranty Warranty		Wi-Fi	802.11b/g/n/ac
Included Remote Control, User Manual, Power Cable, USB to USB Cable, Wi-Fi Aerial, Wall Mount Optional Floor Stand/Trolley, Ceiling Mount, Table Stand Warranty Period 3 Year Warranty		OS	Android 7.1
Optional Floor Stand/Trolley, Ceiling Mount, Table Stand Warranty Period 3 Year Warranty		Graphic Engine	OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1
Optional Floor Stand/Trolley, Ceiling Mount, Table Stand Warranty Period 3 Year Warranty	Accessories	Included	Remote Control, User Manual, Power Cable, USB to USB Cable, Wi-Fi Aerial, Wall Mount
/arranty		Optional	Floor Stand/Trolley, Ceiling Mount, Table Stand
Technical Support Lifetime	Warranty	Warranty Period	3 Year Warranty
		Technical Support	Lifetime

Errors and omissions excepted





SUREWIW





Technical Drawing









Why Choose Our Commercial Display Solutions?



From the moment you receive your product, throughout the duration of your warranty and even after your warranty has expired we are here to support you. If you require any assistance setting up or using your product, or have any problems at all, we can provide free technical support via telephone and email.



On-site Support and Maintenance*

If needed, we can provide an installation service for any of our products. We can also set up service-level agreements for larger projects that require maintenance contracts.



Extended Warranty*

All of our commercial display products come with a 3 year commercial warranty as standard but if you want to extend this you can upgrade this to cover a 5 year period at point of purchase.



Training

As well as providing free remote CMS training sessions and webinars we can also visit you to deliver bespoke training for our software and hardware*.



Advanced Replacements[†] Should your display suffer from any kind of hardware failure during the warranty period we will send you an advanced replacement and arrange for your old display to be collected, free of charge. This ensures no downtime where you are without a screen.



Custom Product Testing & Configuration If you need us to test third party software or a website, or configure your screen in a particular way before it is dispatched (e.g. in a particular orientation or network mode), we can do so to make your life easier.



3D Rendering

Want to know how a particular screen will look once installed? Send us a photo of the location and we will create a 3D rendering of any screen in situ to help you to visualise how amazing it will look.



Logistics Support

We hold more stock in our UK warehouse than any other manufacturer so we can help you meet tight deadlines. For last minute orders we can also offer special express or morning delivery options*. We also carry out UK based quality control checks on every display before it leaves our warehouse.



Project Support

If you need to loan a sample unit to test we'd be more than happy to arrange this. We can also provide a rental service for temporary projects*.



Your display can be customised to suit your requirements by adding your logo or printed graphics or even tailoring the colour of a display. We can also carry out hardware modifications to existing products or manufacture bespoke solutions for special projects.



As well as being able to provide accessories and add-ons, such as extra remote controls, NUC PCs and video wall controllers, we can also supply custom made flight cases which are great if a display needs to be moved safely from place to place.

SUREVIEW

†UK mainland only

*These particular services may incur additional charges



Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508 Support: +1 347 719 4508

1309 Coffeen Ave Ste 1200 Sheridan WY 82801 USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050 Support: +44 (0)1785 879 050

Unit A5 Douglas Park Stone Business Park Stone ST15 0YJ United Kingdom

VAT Number: 120 9546 28

Business Registration Number: 07699660