

# tBOX330-870-FL

Fanless Embedded System with 3rd Generation Intel® Core™ Processor and Intel® QM77 for Marine PC





### Specifications

Standard Color	Silver-Black
Construction	Aluminum extrusion and heavy-duty steel, IP40
CPU	3rd generation Intel® Core™ i processor ; 3rd generation Intel® Core™ i7-3517UE (1.7 GHz up to 2.8 GHz) or 3rd generation Intel® Core™ i3-3217UE (1.6 GHz)
System Memory	DDR3-1600 4 GB DRAM
Chipset	Intel® QM77
BIOS	AMI UEFI BIOS with OA 3.0 built
System I/O Outlet	Rear Side   4 x GbE     3 x isolated RS-232/422/485     1 x isolated DI/D0 (4-in/4-out)     1 x isolated CAN Bus     2 x USB 2.0     2 x audio (mic-in/line-out, screw type)     1 x VGA     1 x VV-D     1 x VDC power input     1 x remote power switch     4 x antenna opening     Front Side   2 x USB 3.0
	2 x audio (mic-in/line-out, screw type) 1 x reset switch 2 x 2.5" SATA drive trays 1 x CFast™ slot
Watchdog Timer Storage	255 levels, 0 ~ 255 sec./min. 2 x 2.5" SATA HDD (Removable and with lock protection) supports RAID 0/1 1 x CFast™
Expansion Interface	3 x PCI Express Mini Card 1 x SIM card slot
System Indicator	x green LED for system power on x blue LED for HDD active x green LED for LAN1 link x green/yellow LED for LAN1 speed x green LED for LAN2 link x green/yellow LED for LAN2 speed x green LED for LAN3 link x green/yellow LED for LAN3 speed x green/yellow LED for LAN3 speed x green/yellow LED for LAN4 speed

## Features

- IEC60945 certificate
- Comply to fire protection of railway vehicles Europe standard PrCEN TS 45545-2
- 3rd generation Intel® Core™ i7 1.7 GHz up to 2.8 GHz or Intel® Core™ i3 1.6 GHz processor
- High performance DDR3-1600 4 GB memory onboard
- Fanless with operating temperature range of -40°C ~ +70°C
- Isolated RS-232/422/485, CAN bus and DIO ports
- Supports USB 3.0 and SATA3 interface
- 2 removable & lockable 2.5" SATA HDD and 1 CFast™
- 3 internal PCI Express Mini Card slot and 1 SIM slot



Power Supply	Power input : 14~32VDC, Typical 24VDC
Power Consumption	1.8A @ 24V
Operating Temperature	-40°C ~ +70°C (-40°F ~ +158°F) W/T SSD -25°C ~ +55°C (-13°F ~ +131°F) W/T HDD
Storage Temperature	-40°C ~ +80°C (-40°F ~ +176°F)
Humidity	5% ~ 95%, non-condensing
Vibration Endurance	5 Grms with CFast™ (5-500Hz, X, Y, Z directions) 1 Grms with HDD (5-500Hz, X, Y, Z directions)
Dimensions	288 mm (11.33") (W) x 211 mm (8.3") (D) x 85.7 mm (3.37") (H)
Weight (net/gross)	5.5 kg (12.12 lb)/6.5 kg (14.33 lb)
Certificate	CE (Class A), IEC60945 certificate, EN45545-2 compliance
EOS Support	WE8S, WES 7, Linux

## **Ordering Information**

Standard	
tB0X330-870-FL-i7-DC	Fanless marine embedded system with 3rd generation Intel® Core™ i7 processor, 4GB DDR3-1600, 4 GbE LAN, 3 isolated COM, CFast™ and isolated CAN bus
tB0X330-870-FL-i3-DC	Fanless marine embedded system with 3rd generation Intel® Core™ i3 processor, 4GB DDR3-1600, 4 GbE LAN, 3 isolated COM, CFast™ and isolated CAN bus
Optional	
2.5" SATA HDD/SSD CFast™	16 GB or above 1 GB or above
3G module	
Wi-Fi module	

Wi-Fi module Wi-Fi Bluetooth GPS module

\*Specifications and certifications are based on options and may vary.

\* All specifications and photos are subject to change without notice



## Axiomtek tBOX330-870-FL Get Quote

#### **Expansion & Installation** Overview Ó Systems òo 0 2 Embedded Systems for Transportation Onboard 3rd generation Intel® Core™ i7 or i3 Swappable and Lockable SATA3 HDD/SSD, Audio Four Gigabit LAN ports processor and 4 GB DDR3-1600 DRAM jack, USB 3.0 and CFast Ó Embedded Field Controllers Ò Industrial C Digital Signage Solutions Isolated RS-232/422/485, CAN bus and DIO 3 PCIe Mini Card slots with 1 SIM slot 24VDC power input Ο Embedded MicroBoxes **Packing List Power Protection** 1 x quick manual 1 x driver CD Ó DC Version SCP (short circuit protection) 1 x screw pack OVP (over voltage protection) Barebone 4 x foot pad UVP (under voltage protection) 1 x wall-mount kit Ó Industrial Chassis Dimensions Ó Backplanes 211,3 0 Power Supplies 288,5 288,5 11,55 211,3 С 1 -85,55 Peripherals & Accessories -82 **~** .... °.....,0 312 \* All specifications and photos are subject to change without notice. axiomtek.com © 2016 Axiomtek Co., Ltd. All rights reserved.



# **Assured Systems**

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

# US

sales@assured-systems.com

Sales: +1 347 719 4508 Support: +1 347 719 4508

1309 Coffeen Ave Ste 1200 Sheridan WY 82801 USA

# **EMEA**

sales@assured-systems.com

Sales: +44 (0)1785 879 050 Support: +44 (0)1785 879 050

Unit A5 Douglas Park Stone Business Park Stone ST15 0YJ United Kingdom

VAT Number: 120 9546 28 Business Registration Number: 07699660