


## LNP-0800-60-24 Series

8-Port Industrial PoE+/4PPoE Unmanaged Ethernet Switch, with 4\*10/100Tx (30W/Port) and 4\*10/100Tx (60W/Port), 12~36VDC Power Input



### Features


- ▶ 4-Port IEEE 802.3bt Compliant 4PPoE (60W/Port)
- ▶ Supports Auto MDI/MDI-X Function
- ▶ Store-and-Forward Switching Architecture
- ▶ 2K MAC Address Table
- ▶ Network Broadcast Storm Protection
- ▶ EFT Protection: 2,000 VDC Support
- ▶ ESD Protection: 6,000 VDC Support
- ▶ Redundant Power Input Design: 12~36VDC
- ▶ Built-in 1 Relay Output for Port Break Alarm
- ▶ IP30 Rugged Aluminum Case Design
- ▶ DIN-Rail and Wall Mount Support
- ▶ Operating Temperature Range (- STD): -10° to 70°C, EOT: -40° to 75°C
- ▶ 5-Year Warranty

## INTRODUCTION

Antaira Technologies' LNP-0800-60-24 series is an industrial 4PPoE unmanaged Ethernet switch featuring 4\*10/100Tx 4PPoE Type 3 ports and 4\*10/100Tx PoE+. Ports 1-4 support an IEEE 802.3bt Type 3 high power 4PPoE output up to 60W per port, ports 5-8 support an IEEE 802.3at PoE+ output up to 30W per port.

The LNP-0800-60-24 series is IP30 rated and DIN-rail mountable. There are also two wide operating temperature models for either a standard temperature range (STD: -10°C to 70°C) or an extended temperature range (EOT: -40°C to 75°C). The series provides Ethernet connectivity with 4PPoE / PoE+ functions ideal for outdoor or harsh industrial application environments, such as, security surveillance, ITS-traffic monitoring systems, facility management for power/utility, water wastewater treatment plants, and automated production lines in factory automation.

## DIMENSIONS



## SPECIFICATIONS

<b>Technology</b>	
<b>Standards</b>	IEEE 802.3 10BaseT Ethernet IEEE 802.3u 100BaseTX Fast Ethernet IEEE 802.3x Flow Control and Back-Pressure IEEE 802.3bt Power over Ethernet
<b>Processing Type</b>	Store and forward
<b>Protocol</b>	CSMA/CD
<b>Flow Control</b>	IEEE 802.3x back pressure flow control
<b>Switch Properties</b>	
<b>Switch Architecture</b>	Back-Plane (Switching Fabric): 1.0Gbps
<b>Transfer Rate</b>	14,880pps for Ethernet Port 148,800pps for Fast Ethernet Port
<b>MAC Table</b>	2K
<b>Port Interface</b>	
<b>Ethernet RJ45 Port</b>	10/100BaseT(X) auto negotiation speed, Full/Half duplex mode, and auto MDI/MDI-X connection 8*10/100Tx
<b>PoE Port Pin Assignment</b>	V+ for pin 3, 4, 5, 6 V- for pin 1, 2, 7, 8
<b>Mechanical Characteristics</b>	
<b>Housing</b>	Metal IP30 rated
<b>Dimensions</b>	46 x 142 x 99 mm
<b>Weight</b>	Unit: 1.68 lbs; Shipping: 2.0 lbs
<b>Mounting</b>	DIN-Rail; Wall-mount (optional)

<b>Power Requirement</b>	
<b>Input Voltage &amp; Power Connection</b>	12~36VDC, Redundant Input w/ removable 6-contact terminal block
<b>Reverse Polarity Protection</b>	Present
<b>Overload Current Protection</b>	Slow-Blown Fuse
<b>PoE Power Output</b>	Up to 60W @ 53VDC (port 1-4) Up to 30W @ 53VDC (port 5-8)
<b>Power Consumption</b>	210 Watts @ 12VDC 250 Watts @ 24~36VDC
<b>Environmental Limits</b>	
<b>Operating Temperature</b>	STD: -10° to 70° C EOT: -40° to 75° C
<b>Storage Temperature</b>	-40°C ~ 85°C
<b>Ambient Relative Humidity</b>	5 to 95%, (non-condensing)
<b>Regulatory Approvals</b>	
<b>EMI</b>	FCC Class A
<b>EMS</b>	EN6100-4-2,3,4,5,6,8 EN6100-6-2,4
<b>Free Fall</b>	IEC60068-2-32
<b>Shock</b>	IEC60068-2-27
<b>Vibration</b>	IEC60068-2-6
<b>Green</b>	RoHS Compliant
<b>Certifications</b>	FCC, CE
<b>Warranty</b>	5 Years

## ORDERING INFO

<b>LNP-0800-60-24</b>	8-Port Industrial PoE+/4PPoE Unmanaged Ethernet Switch, with 4*10/100Tx (30W/Port) and 4*10/100Tx (60W/Port), 12~36VDC Power Input
<b>LNP-0800-60-24-T</b>	8-Port Industrial PoE+/4PPoE Unmanaged Ethernet Switch, with 4*10/100Tx (30W/Port) and 4*10/100Tx (60W/Port), 12~36VDC Power Input, EOT: -40° to 75°C

## Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

### US

[sales@assured-systems.com](mailto:sales@assured-systems.com)

Sales: +1 347 719 4508  
Support: +1 347 719 4508

1309 Coffeen Ave  
Ste 1200  
Sheridan  
WY 82801  
USA

### EMEA

[sales@assured-systems.com](mailto:sales@assured-systems.com)

Sales: +44 (0)1785 879 050  
Support: +44 (0)1785 879 050

Unit A5 Douglas Park  
Stone Business Park  
Stone  
ST15 0YJ  
United Kingdom

VAT Number: 120 9546 28  
Business Registration Number: 07699660