




EmETXe-i90U0



7th Generation Intel® Core™ i7-7600U/i5-7300U Processor
COM Express® Compact Type 6 CPU Module




Features

- Soldered onboard 7th Generation Intel® Core™ i7-7600U/i5-7300U processor
- Intel® I219LM PCIe GbE PHY
- Dual Channels 24-bit LVDS and 2 x DDI ports
- Support 3 independent displays
- 8.5V~20V Wide Range Voltage Input
- **Wide Range Operating Temp.: -40 ~ 85°C**

Computer on Module

System	
CPU	Soldered onboard 7 th Generation Intel® Core™ i7-7600U 3.9GHz/i5-7300U 3.5GHz processor
Memory	2 x DDR4 SO-DIMM sockets
BIOS	AMI UEFI BIOS
Watchdog Timer	1~255 levels reset
I/O	
USB Port	12 x USB ports: - 8 x USB 2.0 ports - 4 x USB SuperSpeed ports
Serial Port	2 x UART ports (RX/TX only)
Expansion Bus	8 x PCIe x1 lanes, I2C Interface
Digital I/O	8-bit Digital Input/Output
Storage	2 x Serial ATA ports Soldered onboard eMMC 5.0 up to 32GB (OEM Request)
Ethernet Chipset	1 x Intel® i219LM PCIe GbE PHY
Audio	HD audio link
TPM	Supports TPM (OEM Request)
Display	
Graphic Chipset	Integrated Intel® HD Graphics 620
Graphic Interface	LCD: Dual Channels 24-bit LVDS 2 x DDI ports
OS support	
Windows	Windows 10 64-bit
Linux	Ubuntu

Mechanical & Environmental	
Power Requirement	8.5V~20V +/- 5% wide range voltage input, +5VSB
Power Consumption	2.08A@12V(Typical with i5-7300U)
Operating Temp.	-40 ~ 85°C (-40 ~ 185°F) For EmETXe-i90U0 Series
Operating Humidity	10 ~ 95% @ 85°C (non-condensing)
Dimensions (L x W)	95 x 95 mm (3.7" x 3.7")
Dimensions	




Unit:mm

All specifications are subject to change without notice.



Block Diagram



Ordering Information

EmETXe-i90U0-WT-7300U	7 th Generation Intel® Core™ i5-7300U WT COM Express® Compact Type 6 CPU module-
EmETXe-i90U0-WT-7600U	7 th Generation Intel® Core™ i7-7600U WT COM Express® Compact Type 6 CPU module
EmETXe-i90U0D-7300U	7 th Generation Intel® Core™ i5-7300U COM Express® Compact Type 6 CPU module,w/ 32GB eMMC,-20~85°C(OEM Request)
EmETXe-i90U0D-7600U	7 th Generation Intel® Core™ i7-7600U COM Express® Compact Type 6 CPU module,w/ 32GB eMMC,-20~85°C(OEM Request)

Optional Accessories

HS-89U0-F2-T	Heat spreader, threaded standoffs (bore hole) (95x95x11mm)
HS-89U0-F2-NT	Heat spreader, non-threaded standoffs (bore hole) (95x95x11mm)
HS-89U0-C1	Heat sink with Fan (95x95x28.5mm)
PBE-1705-F1	COM Express® Type 6 evaluation carrier board with SIO F71869ED module in ATX form factor
CBK-03-1705-00	Cable kit
	1 x SATA cable
	2 x Serial port cables

Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508
Support: +1 347 719 4508

1309 Coffeen Ave
Ste 1200
Sheridan
WY 82801
USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050
Support: +44 (0)1785 879 050

Unit A5 Douglas Park
Stone Business Park
Stone
ST15 0YJ
United Kingdom

VAT Number: 120 9546 28
Business Registration Number: 07699660