

# LPC-P185W-LPx

18.5" Stainless Steel P-cap Panel PC with Intel7th/6th Gen Kaby Lake-U/Skylake-U Core™ i7/i5/i3, 6 sides IP66 Waterproof **Feature and Wide Range Power Input** 

















- 7th/6th Gen Kaby Lake-U/Skylake-U Core™ i7/i5/i3
- ▶ 18.5" P-cap Flat Bezel
- ▶ DC 9~36V Wide Range Power Input
- ▶ 1920\*1280 Resolution
- Bottom Side M12 Plastic Connector
- M12 Plastic Waterproof Connectors
- Stainless Steel 304 Food Grade

System	
Processor	7th/6th Gen Kaby Lake-U/Skylake-U Core™ i7/i5/i3
System Memory	DDR4 2133MHz SO-DIMM, up to 16 GB
External I/O Port	2 x GIGA LAN External Waterproof cables by 1.5 meters
	(the end side is male RJ45)
	1 x USB 2.0 External Waterproof cables by 1.5 meters
	(the end side is female USB 2.0)
	1 x Power External Waterproof cables by 1.5 meters
	(the end side is 2 wire : ground & + )
	1 x COM (1 x RS-232/422/485) External Waterproof cables by 1.5 meters
	1 x COM (1 x RS-232) External Waterproof cables by 1.5 meters
	(the end side is male COM 9 pin)
	1 x HDMI (w/o Audio)
Storage	2 x SATA3 (6.0Gb/s)
	1 x mSATA (full size mini-PCIe)
Operating System	Windows 7 (32/64bit) (Sky Lake-ULT Only)Windows 8.1 (64bit)
	Windows 10 (64bit)
Expansion	2 x MiniPCle Slot

LCD	
Display Type	18.5" TFT LCD
Max. Resolution	1920*1280
Max. Color	16.7M
Luminance	350nits
View Angle	89/89/89/89
Backlight Lifetime	30,000 hours

Power Requirement	
Power Input	M12 Power Input
	DC 9~36V Wide Range
	Power Input

Touch Screen	
Туре	18.5" P-cap USB interface


Environment	
Operating Temp	-20~60 °C , IEC-60068-2-1/2/14
Storage Temp	-20~60 °C
Humidity	10~90% @40 °C, non-condensing
EMC	FCC / CE Class A Certification
	CE Class B Compliant
Vibration	1.5 Grms @10~500Hz, IEC-60068-2-64

Mechanical	
Construction	Stainless Steel case
IP Rating	IP66 with 6 sides
Mounting	VESA
Dimension	TBC



\* All specifications are subject to change without prior notice.

### Dimension & I/O Connector



Ordering Information	
LPC-P185W-LP5	18.5" Stainless Steel P-cap Panel PC with Intel Skylake-U i3-6100U,
	6 sides IP66, and Waterproof M12 Plastic Connector
LPC-P185W-LP6	18.5" Stainless Steel P-cap Panel PC with Intel Skylake-U i5-6300U,
	6 sides IP66, and Waterproof M12 Plastic Connector
LPC-P185W-LP7	18.5" Stainless Steel P-cap Panel PC with Intel Skylake-U i7-6600U,
	6 sides IP66, and Waterproof M12 Plastic Connector
LPC-P185W-LP8	18.5" Stainless Steel P-cap Panel PC with Intel Skylake-U i5-7600U,
	6 sides IP66, and Waterproof M12 Plastic Connector
WFK-024	WiFi kits w/ cable & Antenna (2.4GHz, 802.11 b/g/n, 1T1R)
WFK-524	WiFi kits w/ cable & Antenna (2.4 & 5GHz, 802.11 a/b/g/n/ac + BT, 2T2R)
04-US-26-00002	120 W / 24V power adapter with 3 pin terminal block (For High Brightness Model)

Ordering Code		
LPC-P185W-LPx Series	-H /-OB/-G/-AG/-AR/-B/-V	
H = High Brightness 1000 nits LED backlight		
OB = Optical Bonding		
G = Glass withtout touch		
AG = Anti-Glare		
AR = Anti-Reflection		
V = Vandal Proof Glass (By Project)		



Last update: 07/07/2019

www.elgens.com.tw



## **Assured Systems**

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

### US

sales@assured-systems.com

Sales: +1 347 719 4508 Support: +1 347 719 4508

1309 Coffeen Ave Ste 1200 Sheridan WY 82801 USA

#### **EMEA**

sales@assured-systems.com

Sales: +44 (0)1785 879 050 Support: +44 (0)1785 879 050

Unit A5 Douglas Park Stone Business Park Stone ST15 0YJ United Kingdom

VAT Number: 120 9546 28

Business Registration Number: 07699660