



## REV-SA03

### SMARC Module Carrier Board for SMA-X8I

- > SMARC Module Carrier Board for SMA-X8I (SMARC 2.1)
- > Accept Avalue and Other SMARC Compatible
- > CPU Modules. (82 x 50mm)
- > Power Key / Reset Key / DC Jack
- > USB 2.0 Type A / USB 3.0 Type A / USB Type C for OTG
- > Giga Ethernet
- > Headphone
- > Mic Phone 2P Header
- > Speaker (Left/Right Channel) 2P Header
- > RTC-Battery (CR2032)
- > GPIO 16 bit
- > CAN Bus
- > M.2 Key E for WIFI/BT
- > M.2 Key B for LTE
- > M.2 Key M for Storage
- > BackLight 4P Header
- > I2C Touch Screen connector
- > MIPI DSI Screen connector for MIPI Panel
- > MIPI CSI Screen connector for MIPI Camera
- > Micro SD Socket & SIM Socket
- > Boot Switch
- > Industrial temperature: -40~85 Degree (Default)
- > OS Support Linux Yocto 3.0 (First) & Android 10 (coming soon)

[Spec](#)

I/O	
<b>USB Port</b>	USB 2.0 Type A / USB 3.0 Type A / USB Type C for OTG
<b>MIO</b>	3 x UART
<b>External I/O Connector</b>	1 x Power Key 1 x Reset Key 1 x DC Jack 1 x USB 2.0 Type A 1 x USB 3.0 Type A 1 x USB Type C 1 x Giga Ethernet 1 x Headphone 1 x Micro SD Socket 1 x SIM Socket
<b>Internal I/O Connector</b>	1 x Mic Phone 2P Header 1 x Speaker (Left/Right Channel) 2P Header 1 x RTC-Battery (CR2032) 1 x M.2 Key E for WIFI/BT 1 x M.2 Key B for LTE 1 x A53 Core Debug connector (UART) 1 x M4 Core Debug connector (UART) 1 x BackLight 4P Header 1 x I2C Touch Screen connector 1 x MIPI DSI Screen connector for MIPI Panel 1 x MIPI CSI Screen connector for MIPI Camera 1 x LVDS Screen connector 1 x M.2 Key M for Storage 1 x GPIO 16 bit 1 x CAN Bus
Audio	
<b>Audio Codec</b>	WM8960
Certifications	
<b>Certification Information</b>	CE FCC Class B
Mechanical & Environmental	
<b>Operating Temperature</b>	-40°C ~ 85°C (-40°F ~ 185°F)
<b>Storage Temperature</b>	-40°C ~ 85°C (-40°F ~ 185°F)
<b>Operating Humidity</b>	0% ~ 90% Relative Humidity, Non-condensing
<b>Weight</b>	0.13kg
<b>Power Requirement</b>	12V DC-in
<b>Power Mode</b>	AT
<b>Dimension (L x W)</b>	165mm x 120mm
Ordering Information	
<b>Ordering Information</b>	SMA-X8I-XXX REV-SA03-XXX

## Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

### US

[sales@assured-systems.com](mailto:sales@assured-systems.com)

Sales: +1 347 719 4508  
Support: +1 347 719 4508

1309 Coffeen Ave  
Ste 1200  
Sheridan  
WY 82801  
USA

### EMEA

[sales@assured-systems.com](mailto:sales@assured-systems.com)

Sales: +44 (0)1785 879 050  
Support: +44 (0)1785 879 050

Unit A5 Douglas Park  
Stone Business Park  
Stone  
ST15 0YJ  
United Kingdom

VAT Number: 120 9546 28  
Business Registration Number: 07699660