



**DS SERIES**

# DS323LT4

32" 2500 nits High Brightness  
Digital Signage Display



**SUNLIGHT  
VIEWABLE IMAGE**




**EVEN BEZEL**



**BUILT-IN  
MEDIA PLAYER**



**TRUECOLOR™  
CALIBRATED**



**24 / 7  
OPERATION**

Android is a trademark of Google LLC.  
The Android robot is reproduced or modified from work created and shared by Google and used according to terms described in the Creative Commons 3.0 Attribution License.

**FOR MORE INFORMATION**

For more information about DynaScan, visit our website at [www.dynascandisplay.com](http://www.dynascandisplay.com). Copyright © DynaScan Technology Inc. All rights reserved. All specifications and descriptions are subject to change without notice. Reproduction without permission is prohibited.

**DynaScan**



V1.01

## SPECIFICATION


<b>MODEL</b>	DS323LT4	
<b>PANEL</b>	LCD Panel Size	31.55"
	Native Resolution	1920 x 1080
	Brightness	2500 nits
	Color Depth	10 bits
	Contrast Ratio	1300:1
	Response Time (Typ.)	9 ms
	Viewing Angle	178° / 178°
<b>POWER</b>	Light Lifetime (Typ.)	100,000 hrs
	Blackening Defect Free	Up to 110°C (230°F)
	Power Supply	Internal
	Rated Voltage	100-240V ~ 50/60HZ
<b>MECHANICAL SPECS</b>	Power Consumption (Typ./ Max.)	145 W
	Power Saving Mode	< 1 W
	Bezel Width (T/B/L/R)	8.7 / 8.7 / 8.7 / 8.7 mm
	Cabinet Color	Black
	Monitor Dimension (LxHxD)	719.6 x 415.7 x 76.6 mm
<b>FEATURE</b>	Monitor Weight	9.8 kg
	Orientation	Portrait / Landscape
	VESA Mounting (LxH)	200 x 200 mm
	Language	English
<b>INPUT</b>	Support SNMP (Up to V3.0)	Yes
	Image Retention Protection	Yes
	Auto Orientation Sensor	Yes
	Ambient Light Sensor	Yes
	Power On/Off Scheduling	Yes
	OSD Menu Rotation	Yes
	HDMI 2.1 (HDCP 2.2)	x2 (1080p recommended)
USB 2.0	x2	
<b>EXTERNAL CONTROL</b>	Audio	x1
	RS-232	In x1
<b>ENVIRONMENT</b>	RJ-45	x1 (LAN)
	ETK Port ( Thermal)	x1
	ESK Port (IR, Ambient)	x1
<b>INTERNAL PLAYER</b>	Operating Temperature	0° - 45° C
	Storage Temperature	-20° - 60° C
	Humidity	10% - 80% RH Non-condensing
	Operating System	Android 11.0
	Processor	Quad-core A53
<b>ACCESSORY</b>	Clock Speed	1.5GHz
	Main Memory Interface	DDR4, 2GB
	Graphics	Mali G52
	Storage	Internal: 8GB eMMC Flash
	Multimedia	4K video decoders, 30/60fps H.264 /VP9 10bit, MPEG-1/2/4 802.11a/b/g/n/ac (2T2R)
	Wi-Fi Specification	
	Quick Start Guide. Power Cord. Remote Control. Batteries. IR & Ambient Sensor	
<b>CERTIFICATION</b>	CE / CB / FCC / ETL / RCM / RoHS / PSE / VCCI	

## DIMENSIONS

Unit: mm [inch]



## INTERFACE



**DynaScan**

## Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

### US

[sales@assured-systems.com](mailto:sales@assured-systems.com)

Sales: +1 347 719 4508  
Support: +1 347 719 4508

1309 Coffeen Ave  
Ste 1200  
Sheridan  
WY 82801  
USA

### EMEA

[sales@assured-systems.com](mailto:sales@assured-systems.com)

Sales: +44 (0)1785 879 050  
Support: +44 (0)1785 879 050

Unit A5 Douglas Park  
Stone Business Park  
Stone  
ST15 0YJ  
United Kingdom

VAT Number: 120 9546 28  
Business Registration Number: 07699660