



Giada D360

High-Performance for High-End Digital Signage Usage



Features

- 6th Generation Intel[®] Skylake-S Series Processor
- Up to three Independent Displays with 4K Resolution
- Max. 32GB DDR4, Dual Channel
- Great Connectivity and Expandability


Specifications


RoHS (FC (C)


		. € F© ((()						
		D360H-B0000						
	CPU	6 th Generation Intel® Skylake-S Series Processor						
Processor	Chipset	Intel® H110 Express						
	BIOS	AMI EFI 64 Mbit						
	Туре	DDR4 2133MHz						
Memory	Socket	2 x U-DIMMs (284 pin)						
	Max Size	32 GB						
	GPU	Integrated Intel® HD Graphics						
Ozzakian	Graphic Engine	DirectX12, OpenGL4.4 and OpenCL 1.2						
Graphics	DP1.2	2 x DP (Max. 4096 x 2304 @60Hz)						
	HDMI1.4b	1 x HDMI (Max. 4096 x 2304 @24Hz)						
	Controller	1 x Gigabit Ethernet, Realtek RTL8111F						
Network	Interface	1 x RJ45						
	USB	4 x USB 3.0, 2 x USB 2.0						
	Display Interface	2 x DP1.2, 1 x HDMi1.4b						
	LAN	1 x RJ45						
	Audio	1 x MIC-IN, 1 x LINE-IN, 1 x AUDIO OUT						
I/O	Mini-PCle (Internal)	1 x Half-length Mini-PCle with Wi-Fi/BT Module support						
	Serial Port	2 x COM (5V/12V)						
	PS/2	2 x PS/2						
I	LED Indicators	1 x Power, 1 x HDD Access						
	2.5" Drive Bay	1 x 2.5" SATA drive bay (Max Height 7.5mm)						
Storage	mSATA	1 x mSATA III						
	M.2	1 x M.2 (PCIe)						
,	WatchDog Timer	Yes, 0~255 Second Time Out Support						
	Auto Power On	Yes, Power Activated Automatically Start						
	RTC	Yes, Set Up Independently Every day, A Week as a Cycle						
	Power Remote Control	Yes, By IR Controller						
,	Wake On Lan	Yes						
	Windows	Windows 7, 8.1, 10						
Operation System	Linux	Supported						
	Android	N/A						
	Power Type	DC-IN						
Power	Power Adapter	19V / 4.74A						




		D360H-B0000			
Mechanical	Dimensions (W x D x H)	236mm x 175mm x 50mm			
	Fanless No				
	Construction Metal				
	Mounting Desk/Wall Mounting and VESA Mounting Kit (Optional)				
	Weight	1.6 kg (3.53 lb)			
Environment	Operating Temperature	0°C ~ 40°C at 0.7m/s air flow			
	Storage Temperature	-20℃ ~ 60℃			
	Relative Humidity	95%@40°C (non-condensing)			
Certification	EMC	CE/FCC Class B, CCC			
Certification	Safety	CE/FCC LVD, CCC			









Order Information

Part Number	Intel CPU	RAM	DP	HDMI	GbE	USB	СОМ	Mini-PCle	mSATA	Operating Temperature
D360H-B0000	6 th Gen Skylake-S Series	up to 32GB	2	1	1	4 x USB3.0 2 x USB2.0	2	1	1	0℃ ~40℃

Packing List

Part Number	Description	Part Number	Description		
-	1 x D360	-	1 x Driver Disk		
-	1 x User Manual	-	1 x Power Adapter		
-	1 x AC power cable	-	1 x Wi-Fi antenna		

The product appearance, specifications and features are subject to change. Giada reserves the right of final interpretation for the content hereinabove.



Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508 Support: +1 347 719 4508

1309 Coffeen Ave Ste 1200 Sheridan WY 82801 USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050 Support: +44 (0)1785 879 050

Unit A5 Douglas Park Stone Business Park Stone ST15 0YJ United Kingdom

VAT Number: 120 9546 28

Business Registration Number: 07699660