







### **Key Features**



#### Daisy Chain

The display can mirror the content (to another display) into its display port out coming from its display port in. This set up creates a daisy chain like structure allowing for monitors to be set up as Video Wall mode.



#### SoC Content Management

With quad core SoC (System on Chip), this Series displays are the digital signage monitors for both offline designed content and cloud-based managed content. This helps your digital content to be displayed in the displays by content management systems.



#### **Optional OPS Support**

All our products in this series have an optional OPS (Open Pluggable Standard) slot. OPS will empower your screens with enhanced processing power and ability to choose Windows or Android as your operating system to fit your specific application.



#### **Open Platform Support**

Our SoC supports API (Application Programming Interface) for solution providers/integrators to develop and integrate any HTML5-based to be installed and used on our displays.



#### Subtle Design

This series' displays exhibit ultra narrow bezel design eliminating the visual superfluities, directing audience focus on your advertised content. This series is desirable for its thinnest depth among our digital signage displays.



#### **USB** Autoplay

USB Autoplay makes content playback simple and effortless.Simply plug your USB memory containing images or video files and the display can begin playback automatically.



### Panel

Screen Size	75"	Panel Technology	IPS	
Backlight Type	Direct-Type LED	Brightness (typical)	500 cd/m <sup>2</sup>	
Native Resolution	UHD: 3840 x 2160 - HDR10	Contrast Ratio (typical)	1200:1	
Dynamic Contrast Ratio	40000:1	Panel Life Time ( Min. )	50000 Hrs	
Response Time (typical)	8 ms	Active Area (H x V)	1650 x 928 mm	
Pixel Pitch (H x V)	0.429 x 0.429 mm	PPI (pixel per inch)	59	
Viewing Angle	178° Vert., 178° Hor. (89U/89D/89L/89R) @ CR>10	Color Value	1.07G (8bits + FRC)	
Screen Treatment	ЗН	Haze Level	1%	
Refresh Rate	60 Hz	Front Type	Ultra Narrow Bezel	
Orientation	Horizontal / Vertical	Operation Hours	24/7	
Area of Usage	Indoor			
Built-in System				
Mainboard Model	17MB135VS			
Monitor Connectivity				
RGB Input	VGA(DE-15F)	RGB Output	N/A	
Video Input	4xHDMI2.0, 1xDP1.2a, 2xUSB2.0, USB2.0(Internal)	Video Output	HDMI2.0, DP1.2a	
Audio Input	Line In L/R	Audio Output	Headphone, Optic SPDIF	
External Control	RS232(DE-9F), Ethernet(RJ45), Service(RJ12)	External Sensor	RJ12	
Mechanical				
Product Dimensions (WxDxH)	1684 x 100 x 967 mm	Package Dimensions (WxDxH)	1948 x 210 x 1170 mm	
Product Weight	37.2 kg	Package Weight	50.2 kg	
Vesa Mounting	600 x 400 mm - M6	Bezel Width	B:21   T:16   L/R:16 mm	
Environmental Conditions				
Operating Temperature	0.40°C	Operating Humidity	10-90%	
Operating remperature	0-40°C		10-90%	
Power				
Power Supply	110 VAC - 240 VAC - 50/60 Hz			
Power Consumption				
Typical	240 W	Maximum	320 W	
Deep Standby	≤0.5 W			
Features				
Main Features	Open Content Management Support, Scheduler, USB-Autoplay, Auto- Launch, HDMI-CEC, HDMI-Wakeup, Auto-switch on Failover, Panel Lock, OSD Rotation, NoSignalPowerOff, Screen Saver, Pixel shift, Scheduler, Videowall support, remote control via LAN, Real Time Clock	Mechanical Features	Joystick, IR Extender Support, Rocker Switch, Detachable power cable, Carrying slots, Detachable logo positioning, Internal usb cover, Cable Holder	
Optional Features	OPS Compliance, IR Overlay Touch	Speaker	2 x 12 W	
	Compliance			



### Accessory

Standard	QSG, IB, Power Cord, Remote Control Unit, RC Battery, Mounting Kit, Extension Brackets, IR Extender Cable		
Certification			
Safety	YES	EMC	YES
CE	YES		



# **Assured Systems**

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

## US

sales@assured-systems.com

Sales: +1 347 719 4508 Support: +1 347 719 4508

1309 Coffeen Ave Ste 1200 Sheridan WY 82801 USA

## **EMEA**

sales@assured-systems.com

Sales: +44 (0)1785 879 050 Support: +44 (0)1785 879 050

Unit A5 Douglas Park Stone Business Park Stone ST15 0YJ United Kingdom

VAT Number: 120 9546 28 Business Registration Number: 07699660