


# CFM IGN Module

## CFM-IGN100

CFM Module with Power Ignition Sensing Control Function, 12V/24V Voltage Detection Selectable


- CFM Interface
- Power Ignition Sensing Function, 12V/24V Voltage Detection Selectable
- Low Voltage Protection
- Power on/off Delay Time Setting by Dip Switch
- Dimension (WxDxH) : 41.2 x 35 x 11 mm



## CFM-IGN101

CFM Module with Power Ignition Sensing Control Function, 12V/24V Voltage Detection Selectable



- CFM Interface
- Power Ignition Sensing Function, 12V/24V Voltage Detection Selectable
- Low Voltage Protection
- Power on/off Delay Time Setting by Dip Switch
- Dimension (WxDxH) : 43 x 36 x 13.6 mm



## CFM-IGN102

CFM Module with Power Ignition Sensing Control Function, 12V/24V Voltage Detection Selectable


- CFM Interface
- Power Ignition Sensing Function, 12V/24V Voltage Detection Selectable
- Low Voltage Protection
- Power on/off Delay Time Setting by Dip Switch
- Dimension(WxDxH) : 68 x 25 x 12.1 mm



## CFM-IGN01

CFM Module with Power Ignition Sensing Control Function, 12V/24V Voltage Detection Selectable



- CFM Interface
- Power Ignition Sensing Function, 12V/24V Voltage Detection Selectable\*
- Low Voltage Protection
- Power on/off Delay Time Setting by Dip Switch\*
- Dimension (WxDxH) : 22 x 59.5 x 19 mm



## CFM-IGN02

CFM Module with Power Ignition Sensing Control Function, 12V/24V Voltage Detection Selectable

- CFM Interface
- Power Ignition Sensing Function, 12V/24V Voltage Detection Selectable\*
- Low Voltage Protection
- Power on/off Delay Time Setting by Dip Switch\*
- Dimension (WxDxH) : 22 x 59.5 x 12mm



\* Functions can be adjusted by system dip switches.

\* Functions can be adjusted by system dip switches.

### Compatible List

Model No.	CFM-IGN100	CFM-IGN101	CFM-IGN102	CFM-IGN01	CFM-IGN02
DI-1000			V		
DI-1100			V		
DI-1200			V		
DS-1100 Series		V			
DS-1200 Series		V			
DS-1300 Series		V			
DS-1400 Series		V			
P1101		V			
P1201		V			
P1301	V	V			
P2002	V				
P2002E					
P2102		V			
P2102E		V			
P2202		V			
P2202E		V			
DX-1000				V	
DX-1100				V	
DX-1200				V	
DC-1200					V
GM-1000				V	

V : Compatible

### Ordering Information

Model No.	Description
CFM-IGN100	CFM Module with Power Ignition Sensing Control Function, 12V/24V Voltage Detection Selectable (41.2 x 35 x 11 mm)
CFM-IGN101	CFM Module with Power Ignition Sensing Control Function, 12V/24V Voltage Detection Selectable (43 x 36 x 13.6 mm)
CFM-IGN102	CFM Module with Power Ignition Sensing Control Function, 12V/24V Voltage Detection Selectable (68 x 25 x 12.1 mm)
CFM-IGN01	CFM Module with Power Ignition Sensing Control Function, 12V/24V Voltage Detection Selectable (22 x 59.5 x 19 mm)
CFM-IGN02	CFM Module with Power Ignition Sensing Control Function, 12V/24V Voltage Detection Selectable (22 x 59.5 x 12 mm)

Updated: Feb. 07, 2024.

© Cincoze Co., Ltd. All Rights Reserved. Specifications subject to change without notice. All product names, logos, and brands are the property of their respective owners. All company, product and service names used in this document are for identification purposes only. The use of these names, logos, and brands does not imply endorsement.

## Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

### US

[sales@assured-systems.com](mailto:sales@assured-systems.com)

Sales: +1 347 719 4508  
Support: +1 347 719 4508

1309 Coffeen Ave  
Ste 1200  
Sheridan  
WY 82801  
USA

### EMEA

[sales@assured-systems.com](mailto:sales@assured-systems.com)

Sales: +44 (0)1785 879 050  
Support: +44 (0)1785 879 050

Unit A5 Douglas Park  
Stone Business Park  
Stone  
ST15 0YJ  
United Kingdom

VAT Number: 120 9546 28  
Business Registration Number: 07699660