Sureview SVSH584W Get Quote











UHD 4K RESOLUTION

The 3840 x 1080 UHD 4K ultra high resolution produces sharper text and crisper details. 4,000:1 contrast ratio generates vivid, brilliant images, making your message and pictures even more attractive.



AUO TARTAN TECHNOLOGY

AUO's ultra-wide stretched displays, utilize AUO unique Tartan display technology. These units offer a space saving, energy-efficient and reliable display solution.



ANTI-GLARE LCD PANEL

With an non-glare (28% haze) panel, you can rest assured that your content will not be obstructed by lighting conditions outside of your control.



OPT.1: LCD MONITOR

Users can choose the stretched display as LCD Monitor with HDMI IN only, which allows to connect to any external media player or mini PC if required.



HIGHLY DURABLE SCREENS

Designed for continuous use in public spaces, these displays utilise commercial grade LCD panels, LED backlights and internal components. This means they can run 24/7 for over 50,000 hours.



EXCEPTIONAL BRIGHTNESS

Featuring brightness levels of up to 700 nit, these displays deliver the clearest, richest images regardless of lighting conditions. SVSH displays excel in situations with strong light where glare may present an issue.



NATIVE STRETCHED LCD

SVSH Stretched Panels are made using native ultra-wide LCD masks to manufacture professional grade stretched panels, so no broken glass, fragile sealing, microcracks, light leakage.



OPT.2: ANDROID PLAYER

Users can choose to integrated with Android player to update content via USB or CMS. You can also install any 3rd party CMS Software if required.

U.K.📞 +44 1785 879050 U.S.📞 +1 347 7194508

www.assured-signage.com





SLSH584W

SPECIFICATIONS

Diagonal Size	Resolution	Brightness (Typ.)	Contrast Ratio
58.4"	3840 x 1080	500 nit	4000:1
Viewing Angle 178 / 178 (H/V)	Colors 1.07B, 92% NTSC	Surface Treat. Haze 28%	AA Area (mm) 1428.48 x 401.76
, , , , , , , , , , , , , , , , , , ,			
Power			
Туре	Power Supply AC 100 - 240V, 50/60Hz - DC 24V		Power Consumption
External	AC 100 - 240V, 50/6	50HZ - DC 24V	105W
Mechanical			
Outline Size (mm) 1462.48 x 435.76 x 30	Weight 20 kg	Bracket x1	
1402.40 X 435.70 X 30	20 kg	XI	
Operation			
Operation Temp. 0 - 40 [°] C	Humidity 10% - 80%		
0			
OPT.1: LCD Monit	or with HDMI IN	l Only	
USB USB x 1	HDMI IN HDMI IN x 2		
OPT.2: Android P	C		
CPU	GPU	RAM	Internal Memory
Quad-core Cortex A55	Mali-G31 MP2	2GB	16GB
USB USB 2.0 x 2	Network LAN, Wi-Fi	Bluetooth BT4.0	OS Android OS 9.0
Upgradable			
Higher Performance And	roid Mainboard is Avail	able if required	



Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508 Support: +1 347 719 4508

1309 Coffeen Ave Ste 1200 Sheridan WY 82801 USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050 Support: +44 (0)1785 879 050

Unit A5 Douglas Park Stone Business Park Stone ST15 0YJ United Kingdom

VAT Number: 120 9546 28 Business Registration Number: 07699660