


P1197E-500


19" SXGA TFT Expandable Industrial Touch Panel Computer with 7th/6th Gen Intel® Core™ i7/i5/i3, Celeron® & Pentium® Processor, PCI/PCIe Slot

Features

- 19" SXGA TFT LCD display
- LGA1151 socket 7th/6th gen Intel® Core™ i7/i5/i3, Celeron® & Pentium® processor
- Intel® H110 chipset
- Less screw design for easy installation
- 4 USB 3.0, 2 USB 2.0 and 4 COM
- One PCle x4 or one PCle expansion slots
- Built-in speakers and optional Wi-Fi 802.11 b/g/n module
- Robust aluminum with IP65 compliant front bezel design







- 1. AC plug 2. Audio (Mic-in/Line-out)
- 3. 1 x RS-232/422/485
- 4. 2 x LAN
- 5. VGA
- 6. PCle x4 or PCI 7 1 x RS-232
- 8. 4 x USB 3.0
- 9. 1 x DisplayPort 10. 1 x HDMI
- 11. 1 x RS-232 12. 1 x RS-232
- 13. Power switch
- 14. Rack mount hole







Introduction

The P1197E-500 is a multimedia 19" touch panel PC for kiosk application. It has a fashionable mechanism design and industrial-grade material front bezel which can avoid damage from chemical corrosion. To meet the demands of multimedia application, the P1197E-500 is powered by a high performance LGA1151 socket 7th/6th generation Intel® Core™ processor with the Intel® H110 chipset. It features four COM ports, two Gigabit Ethernet and up to 32GB memory of dual-channel DDR4-2133 that delivers high computing capability for high performance-demanding applications. The industrial touch panel PC is most suitable for kiosk, factory and automation.

Expandable for 1 PCle or 1 PCl

The P1197E-500 has one PCle x4 or one PCl slot for expansion purpose. User can easily plug in standard half-size PCl or PCle card based on any application needs.

Speaker and WLAN Antenna Supported

The P1197E-500 is equipped with built-in speakers for multimedia applications. It also supports WLAN module antenna (optional) for wireless network connectivity.

Friendly Less Screw Design

The P1197E-500 is designed with ease of maintenance in mind. There are only three screws on the back chassis, so that technicians can quickly remove the system's back cover with minimum effort.

Specifications

Front Bezel	Aluminum w/ IP65/	Aluminum w/ IP65/NEMA 4 rugged protection	
LCD Panel	Display Type	19" SXGA TFT LCD	
	Brightness	250 nits	
	Resolution	1280 x 1024 pixels	
	Viewing Angle	170°/160°	
Main System	CPU	LGA1151 socket 7th/6th gen Intel® Core™ i7/i5/i3, Celeron® & Pentium® processor	
	Chipset	Intel® H110	
	System Memory	2 x 288-pin DDR4-2133 Long-DIMM, up to 32GB	
	BIOS	AMI UEFI BIOS	
	Storage	1 x 3.5" or 1 x SATA HDD (9.5 mm height)	
	Drive	1 x Built-in slim DVD-RW (optional)	
	Watchdog Timer	255 levels, 1 to 255 sec.	



Specifications

IO Connector	3 x RS-232	
	1 x RS-232/422/485	
	1 x HDMI	
	1 x VGA	
	1 x DisplayPort	
	4 x USB 3.0	
	2 x USB 2.0	
	2 x 10/100/1000 Mbps Ethernet (Intel® i219-LM/i211-AT) 1 x Audio (Mic-in & Line-out)	
TDM	- '	
TPM	N/A	
Expansion Interface	1 x PCle x4 or 1 x PCl	
Touchscreen	5-wire resistive type	
	Light transmission 79%	
	1 million activations (typical) at a single point	
Power Supply	100 to 240 VAC, 200W	
Power Consumption	157W	
Dimensions	482 mm (18.98") (W) x 94.7 mm (3.73") (D) x 380.8 mm (14.99") (H)	
Packing Dimensions	615 mm (24.21") (W) x 250 mm (9.84") (D) x 585 mm (23.03") (H)	
Weight(net/gross)	8 kg (17.64 lb)/10.4 kg (22.93 lb)	
Operating temperature	0°C to +45°C (+32°F to +113°F)	
Relative humidity	10% to 90% @ +40°C, non-considering	
Operating vibration	1.0G, 5 - 500 Hz, random	
Certifications	CE	

Packing list

- 1 x P1197E-500 1 x Driver CD
- 1 x Panel mount kit 1 x US power cord

Ordering Information

P1197E-500 with PCle	19" SXGA expandable industrial touch panel computer with LGA1151 socket 7th/6th gen Intel® Core™ i7/i5/i3, Pentium® & Celeron® processor, resistive touch screen, PCle x4 slot and 100 to 240 VAC
P1197E-500 with PCI	19° SXGA expandable industrial touch panel computer with LGA1151 socket 7th/6th gen Intel® Core™ i7/i5/i3, Pentium® & Celeron® processor, resistive touch screen, PCI slot and 100 to 240 VAC

^{*}Specifications and certifications may vary based on different requirements.

Optional Accessories

Wi-Fi kit	
82211970070E	VESA & wall mount kit
E981604011	ATC10 (VESA arm clamp type)
E981604012	ATW10 (VESA arm wall mount)
E221177116	PPC HA741L black stand (L)

Optional EOS Installation


Windows® 10 IoT Enterprise

Optional OS Installation

Windows® 10



Dimensions



^{*} All specifications and photos are subject to change without notice. www.axiomtek.com

© 2020 Axiomtek Co., Ltd. All rights reserved.



Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508 Support: +1 347 719 4508

1309 Coffeen Ave Ste 1200 Sheridan WY 82801 USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050 Support: +44 (0)1785 879 050

Unit A5 Douglas Park Stone Business Park Stone ST15 0YJ United Kingdom

VAT Number: 120 9546 28

Business Registration Number: 07699660