

# nROK 500

Intel® Atom™ D525 1.8GHz Fanless Railway System



## Main Features

- On-board Intel® Atom™ Dual Core D525 processor
- One DDR2 SO-DIMM socket, DDR2 800 2G memory module support max.
- 1 x M12 LAN port
- 2 x USB2.0/ 1 x VGA/ 2 x RS-232
- 1 x external CF socket and one external SIM card holder
- 24V DC input with 500V isolated protection
- Support ignition signal for delay-time control
- Support WoL & PXE function

## Product Overview

nROK 500 fanless computer with EN50155 certified is specially designed for transportation computing solution especially in railway related applications. Based on Intel® Atom™ D525 processor, nROK 500 is designed with isolated DC input protection to ensure stable operation in harsh environments. Adopting lock concept, all connectors, for example M12 Ethernet connector, on nROK 500 are designed against vibration. Equipped with a SIM card holder, CF socket and mini-PCIe socket for optional 3G wireless module, nROK 500 allows data to be transmitted over network and stored in a convenient SSD (Solid-State Drive) or CF card for better vibration and shock protection. EN50155 certified nROK 500 is a reliable accredited solution for railway applications.

## Specifications

### Main Board

- Onboard Intel® Atom™ Dual Core D525 1.8GHz processor, 1M Cache
- Chipset: Intel® ICH8M chipsets

### Main Memory

- 1 x DDR2 SO-DIMM socket, support 2G DDR2 667 and 800 MHz memory max., unbuffered and non-ECC
- Pre-Install with one DDR2 667 2G SO-DIMM memory in nROK500 system

### Storage

- CF Card socket: External accessible type, screwed with CF card cover
- 1 x 2.5" SSD drive bay for optional SSD

### Expansion

- 1 x Mini-PCIe socket (for optional 3G/ 3.5G Mobile wireless module)

### I/O Interface-Front

- 1 x VGA Output  
DB15 x 1, support analog monitor with pixel resolution up to 2048 x 1536@75 Hz
- 2 x RS-232 COM Port  
DB9 x 2, support 115.2 Kbps baud rate
- 2 x USB Port  
2 x USB 2.0 ports, 500mA per port, covered with plastic cover to against the dust

- 1 x Mic-in & 1 x Speaker-out  
· Audio controller: High definition audio controller, Realtek: ALC888-GR  
· 1 x Speaker-out, Dia. 3.5mm phone jack, covered with plastic cover to against the dust  
· 1 x Mic-in, Dia. 3.5mm phone jack, covered with plastic cover to against the dust
- 1 x 10/ 100 M12 LAN Port  
· LAN Controller: Intel® WG82574L LAN controller x 1  
· Support wake on LAN and boot from LAN function
- Wireless communication  
· 1 x External accessible SIM card socket  
· 1 x Mic-in for wireless communication use  
· 1 x Speaker-out for wireless communication use  
· 2 x Antenna holes (for 3G/ 3.5G mobile wireless module)
- LEDs  
· 1 x LED for power status  
· 1 x LED for HDD status  
· 1 x LED for 10/ 100 LAN link  
· 1 x LED for 10/ 100 LAN active
- DC Input  
· Nominal Voltage: 24V (Range: 16.8V ~ 30V)  
· Ignition signal input (24V, nominal; 0~10.5V = off, rest = on)  
· 500V Isolated design on DC Input  
· 1 x External fuse



## Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

### US

[sales@assured-systems.com](mailto:sales@assured-systems.com)

Sales: +1 347 719 4508  
Support: +1 347 719 4508

1309 Coffeen Ave  
Ste 1200  
Sheridan  
WY 82801  
USA

### EMEA

[sales@assured-systems.com](mailto:sales@assured-systems.com)

Sales: +44 (0)1785 879 050  
Support: +44 (0)1785 879 050

Unit A5 Douglas Park  
Stone Business Park  
Stone  
ST15 0YJ  
United Kingdom

VAT Number: 120 9546 28  
Business Registration Number: 07699660