

Full-size PCI Express Mini Modules


AX92902

Full-size PCI Express Mini Module with Gigabit LAN


| | |
|---------------|---|
| Features | <ul style="list-style-type: none"> • Supports 10/100/1000 Mbps transfer rates • Supports Wake-on LAN • Supports PXE Boot ROM |
| From factor | Full-size PCI Express Mini Card |
| Controller | Intel® i210IT |
| Specification | 1 Gigabit Ethernet |
| Dimension | 51 x 30 mm |

Ordering Information


| | |
|--------------------------------------|--|
| AX92902+AX93287 (P/N: E392902101) | Full-size PCI Express Mini Module with Gigabit LAN |
|--------------------------------------|--|



▲ AX92902+AX93287



▲ AX93287



▲ AX92902

Gigabit LAN


AX92903

Full-size PCI Express Mini Module with CAN Bus

| | |
|---------------|---|
| Features | <ul style="list-style-type: none"> • USB to 1 channel CANBus port • Support CANOpen |
| From factor | Full-size PCI Express Mini Card |
| Specification | CAN 2.0A and CAN 2.0B |
| Dimension | 51 x 30 mm |

Ordering Information

| | |
|------------------------------|--|
| AX92903 (P/N: E392903100) | Full-size PCI Express Mini Module with CAN Bus |
|------------------------------|--|



CAN Bus

- 0
- 1
- 2
- 3
- 4
- 5
- 6
- 7

Accessories



Full-size PCI Express Mini Modules


AX92904

Full-size PCI Express Mini Module with 32 bit DIO

| | |
|---------------|--|
| Features | <ul style="list-style-type: none"> Support four 8-bit TTL level DIO ports with +5V powered Each bit can be programmable as input or output |
| Form factor | Full-size PCI Express Mini Card |
| Specification | 32 bit programmable DIO |
| Dimension | 51 x 30 mm |

Ordering Information

| | |
|------------------------------|---|
| AX92904 (P/N: E392904101) | Full-size PCI Express Mini Module with 32 bit DIO |
|------------------------------|---|



8 bit Digital I/O x 4


AX92905

Full-size PCI Express Mini Module with Audio


| | |
|---------------|--|
| Features | <ul style="list-style-type: none"> USB to Audio as Mic-In/Line-In/Line-Out Supports one half-size PCI Express Mini card slot (PCIe only) |
| Form factor | Full-size PCI Express Mini Card |
| Controller | Cmedia CM6510B |
| Specification | Specification Audio with Mic in/Line in/Line out and half-size PCI Express Mini Card slot (PCIe only) |
| Dimension | 51 x 30 mm |

Ordering Information

| | |
|-----------------------------|--|
| AX92905 (P/N:E392905100) | Full-size PCI Express Mini Module with Audio and Half-size PCI Express Mini Card (PCIe only) |
|-----------------------------|--|



Full-size PCI Express Mini Card (PCIe only)



▲ AX92905 with cable



AX92906

Full-size PCI Express Mini Module with COM

| | |
|---------------|---|
| Features | <ul style="list-style-type: none"> • USB to 2 Channel high speed RS-232 ports • Supports one half-size PCI Express Mini card slot (PCIe only) |
| From factor | Full-size PCI Express Mini Card |
| Specification | 2 COM ports (2 x RS-232) and half-size PCI Express Mini Card slot (PCIe only) |
| Dimension | 51 x 30 mm |

Ordering Information

| | |
|------------------------------|--|
| AX92906 (P/N: E392906100) | Full-size PCI Express Mini Module with COM and Half-size PCI Express Mini Card (PCIe only) |
|------------------------------|--|



▲ AX92906 with cable

AX92907

NEW

Full-size PCI Express Mini Module with SATA


| | |
|---------------|---|
| Features | <ul style="list-style-type: none"> • Two independent SATA channels • Fully compatible with SATA revision 2.0 and 3.0 hard drives (HDD) and Solid State Drives (SSD) • Support RAID 0,1 • Two SATA power connectors with +5V |
| From factor | Full-size PCI Express Mini Card |
| Specification | 2 SATA connector and SATA power connector |
| Dimension | 51 x 30 mm |

Ordering Information

| | |
|------------------------------|---|
| AX92907 (P/N: E392907100) | Full-size PCI Express Mini Module with SATA |
|------------------------------|---|

Optional ordering for cables

| | |
|--------------|--------------------------|
| 59429070600E | SATA power cable L=200mm |
|--------------|--------------------------|



| |
|----------|
| 0 |
| 1 |
| 2 |
| 3 |
| 4 |
| 5 |
| 6 |
| 7 |

Accessories



Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508
Support: +1 347 719 4508

1309 Coffeen Ave
Ste 1200
Sheridan
WY 82801
USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050
Support: +44 (0)1785 879 050

Unit A5 Douglas Park
Stone Business Park
Stone
ST15 0YJ
United Kingdom

VAT Number: 120 9546 28
Business Registration Number: 07699660