


#### **GPU** Computing

www.neousys-tech.com

# Nuvo-6108GC

Industrial-grade GPU Computing Platform with 250W nVidia<sup>®</sup> GPU and Intel<sup>®</sup> Xeon<sup>®</sup> E3 v5 and 6th-Gen Core<sup>™</sup> Processor



#### Introduction

Nuvo-6108GC is world's first industrial-grade GPU computer supporting high-end graphics cards. It's designed to fuel emerging GPU-accelerated applications, such as artificial intelligence, VR, autonomous driving and CUDA computing, by accommodating nVidia<sup>®</sup> GTX 1080 or TITAN X GPU. Leveraging Intel<sup>®</sup> C236 chipset, Nuvo-6108GC supports Xeon<sup>®</sup> E3 v5 and 6th-Gen Core<sup>™</sup> i7/i5 CPU with up to 32 GB ECC/non-ECC DDR4 memory. It

incorporates general computer I/O like Gigabit Ethernet, USB 3.0 and serial ports. In addition to the x16 PCIe port for GPU installation, Nuvo-6108GC further provides two x8 PCIe slots so you can have additional devices for information collection and communication.

Nuvo-6108GC comes with sophisticated power design to handle heavy power consumption and power transient of a 250W GPU. Furthermore, to have reliable GPU performance for industrial environments, Nuvo-6108GC inherits Neousys' patented design\* of tuned cold air intake to effectively dissipate the heat generated by GPU. This unique design guarantees the operation at 60°C with 100% GPU loading and make Nuvo-6108GC extremely reliable for demanding field usage.

### Specifications


System Core		Expansion Bus	
Processor	Intel <sup>®</sup> Xeon <sup>®</sup> E3 v5 and 6th-Gen Core <sup>™</sup> LGA1151 CPU - Intel <sup>®</sup> Xeon <sup>®</sup> Processor E3-1275 v5 (8M Cache, 3.6/4.0 GH2)* - Intel <sup>®</sup> Core <sup>™</sup> I7-6700 (8M Cache, 3.4/4.0 GH2)* - Intel <sup>®</sup> Core <sup>™</sup> I7-6700 (8M Cache, 3.2/3.6 GH2)* - Intel <sup>®</sup> Core <sup>™</sup> I7-6500 (6M Cache, 3.2/3.6 GH2)* - Intel <sup>®</sup> Core <sup>™</sup> I7-6700TE (8M Cache, 2.3/3.3 GHz) - Intel <sup>®</sup> Core <sup>™</sup> I5-6500TE (6M Cache, 2.3/3.3 GHz)	PCI Express	1x PCIe x16 slot @ Gen3, 16-lanes PCIE signals for GPU 2x PCIe x8 slot @ Gen3, 4-lanes PCIE signals
		Power Supply	
		DC Input	1x 2x3-pin pluggable terminal block for 24 VDC input
		Mechanical	
Chipset	Intel <sup>®</sup> C236 Platform Controller Hub	Dimension	164 mm (W) x 360 mm (D) x 174 mm (H)
Graphics	Independent GPU via x16 PEG port, or Integrated Intel® HD 530 Controller	Mounting	Wall-mounting with damping bracket
		Environmental	
Memory	Up to 32 GB ECC/non-ECC DDR4-2133	Operating Temperature -25°C ~	-25°C ~ 60°C with 100% CPU/GPU loading **/***
I/O Interface			
Ethernet	1x Gigabit Ethernet port by Intel® I219-LM 1x Gigabit Ethernet port by Intel® I210-IT	Storage Temperature	-40°C ~ 85°C
Naive Video Port	2x DVI-D connectors for DVI/HDMI outputs, supporting 1920x1200 resolution	Humidity	10%~90% , non-condensing
		Vibration	Operating, 0.5 Grms, 5-500 Hz, 3 Axes (w/ GPU, fan and HDD), according to IEC60068-2-64)
Serial Port	2x Software-programmable RS-232/422/485 ports		
USB	4x USB 3.0 ports	EMC	CE/FCC Class A, according to EN 55022 & EN 55024
Audio	1x Speaker-out		
Storage Interface			W TDP shall be configured to operate with maximal 45W TDP due to thermal consideration
SATA	4x SATA ports for 2.5" HDD/SSD installation, supporting RAID 0/1/5/10	** The CPU and GPU loading is applied using Passmark® BurnInTest 8.0. For detail testing criteria, please contact Neousys Technology *** For subzero operating temperature, a wide temperature HDD drive or Solid State Disk (SSD) is required.	



All rights reserved. Copyright© 2017 Neousys Tech Inc.









All specifications and photos are subject to change without notice



## **Assured Systems**

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

### US

sales@assured-systems.com

Sales: +1 347 719 4508 Support: +1 347 719 4508

1309 Coffeen Ave Ste 1200 Sheridan WY 82801 USA

### **EMEA**

sales@assured-systems.com

Sales: +44 (0)1785 879 050 Support: +44 (0)1785 879 050

Unit A5 Douglas Park Stone Business Park Stone ST15 0YJ United Kingdom

VAT Number: 120 9546 28 Business Registration Number: 07699660