

GoRugged M1000 USB

Industrial Cellular USB Modem

For 2G/3G/4G Networks

Robustel GoRugged M1000 USB is a rugged cellular modem with Mini USB interface offering state-of-the-art 2G (GPRS/EDGE)/3G (HSPA)/4G (LTE) connectivity for machine to machine (M2M) applications.

Key Features

- Control via AT commands
- USB 2.0 high speed interface allows it to manage and optimize the performances of 3G and 4G high-speed networks
- LTE downlink/uplink up to 100/50 Mbps
- GPS receiver optional for specified model
- Antenna diversity for improved fringe performance optional
- Comprehensive SDK and enabling drivers for Linux and Windows
- Wide range input voltages from 12 to 36 VDC and extreme operating temperature
- The metal enclosure can be mounted on a DIN-rail or on the wall, also with extra ground screw




Typical Applications

- Industrial PC connectivity
- Ticket Vending Machine connectivity
- Digital Signage connectivity

Approvals

- Regulatory: CE, EAC
- Application: E-mark (Vehicle), EN 45545-2 (Railway Applications - Fire Behavior)
- Environmental: RoHS, WEEE



GoRugged M1000 USB

Industrial Cellular USB Modem

Specifications

Cellular Interface

- Standards: LTE/HSPA+/HSUPA/HSDPA/UMTS/EDGE/GPRS
- LTE: max. 100/50 Mbps (DL/UL)
- UMTS: max. 384 kbps (DL & UL)
- SIM: 1 x (3 V & 1.8 V)
- Connector: SMA, female

USB Interface

- Number of ports: 1 x Mini Type A, female
- Speed: USB 2.0 High Speed (480 Mbit/s)
- ESD protection: 15 KV

GPS (optional for M1000-U3P and M1000-U4L)

- Protocol: NMEA
- Modes: Standalone GPS, Assisted GPS

Drivers

- Drivers: Multi-O/S

System

- LED indicator: 1 x NET

Power Supply and Consumption

- Connector: 2-pin 5 mm pluggable terminal block with lock
- Input voltage: 12 to 36V DC

Physical Characteristics

- Housing & Weight: Metal, 300 g
- Dimensions: 102 x 71 x 29 mm
- Installations: flat surface placement, wall mounting and 35 mm DIN rail mounting

Ordering Information

| Model No. | Air Interface | Frequency Bands | Operating Environment |
|-----------|--|--|----------------------------|
| M1000-U4L | GSM/GPRS/EDGE/HSDPA/HSUPA/HSPA+/UMTS/DC-HSPA+/TD-SCDMA/FDD LTE/TDD LTE | LTE B1/B2/B3/B4/B5/B7/B8/B20, B38/B39/B40/B41 HSDPA/HSUPA/HSPA+ B1/B2/B5/B6/B8/B9, TD-SCDMA B34/B39 UMTS/DC-HSPA+ B1/B2/B5/B6/B8 GSM/GPRS/EDGE 850/900/1800/1900 MHz | -40 to 85°C 5 to 95% RH |
| M1000-U3P | GSM/GPRS/EDGE/HSDPA/HSUPA/HSPA+ | HSDPA/HSUPA/HSPA+ 800/850/900/1900/2100 GSM/GPRS/EDGE 850/900/1800/1900 | -40 to 85°C 5 to 95% RH |
| M1000-USB | mPCIe interface | w/o module, mPCIe interface | -40 to 85°C 5 to 95% RH |

Optional Accessories (sold separately)

- AC/DC power adapter
- Rubber SMA antenna
- Wall mounting kit
- 35 mm DIN rail mounting kit

Package Contents

- 1 x Robustel M1000 USB Industrial Cellular Modem
- 1 x Mini USB cable
- 1 x Terminal block for power
- 1 x *Quick Start Guide* with download link of other documents or tools

Contact:

www.robustel.com
info@robustel.com

Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508
Support: +1 347 719 4508

1309 Coffeen Ave
Ste 1200
Sheridan
WY 82801
USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050
Support: +44 (0)1785 879 050

Unit A5 Douglas Park
Stone Business Park
Stone
ST15 0YJ
United Kingdom

VAT Number: 120 9546 28
Business Registration Number: 07699660