


BOXER-8222AI


AI@Edge Fanless Embedded Box PC with NVIDIA Jetson Nano, PD Port

AI@Edge Solutions

Front View



Rear View



Features

- NVIDIA Jetson Nano
- PoE/PD x 1
- 4GB LPDDR4 + 16GB eMMC
- USB 3.2 Gen 1 x 4
- M.2 E-key slot x 1 for WiFi function expansion
- DC 12 ~ 24V wide voltage power input
- Wide working temperature -10°C ~ 70°C



Specifications

System	
AI Accelerator	NVIDIA® Jetson Nano™
CPU	Quad Core Arm® Cortex®-A57 MPCore Processor
System Memory	4GB LPDDR4
Storage Device	16 GB eMMC Mini-Card (Full Size) x 1 (PCIe+SATA+USB)
Display Interface	HDMI 2.0 x 1
Ethernet	10/100/1000Base-TX x 2
I/O	USB 3.2 Gen 1 x 4 LAN x 1 PD x 1 (Powered Device) 40-pin I/O x 1 (GPIO/I2S/I2C/Audio/SPI/UART) RS-232 x 1 HDMI x 1 Mico-USB x 1 for Flash OS DC Power Input x 1 Recovery Button x 1 Micro-USB for Flash OS x 1
Expansion	Antenna x 2 M.2 2230 E Key x 1 (for Wi-Fi)
Indicator	Power LED x 1
OS Support	Linux (NVIDIA Jetpack 4.5 or above)
Power Supply	
Power Requirement	DC 12V~24V 2-pin terminal
Mechanical	
Mounting	Wallmount
Dimensions (W x D x H)	6.92" x 3.94" x 1.54" (175.8 mm x 100.0 mm x 39.0 mm)
Gross Weight	2.31 lbs (1.05 kg)
Net Weight	1.28 lbs (0.58 kg)
Environmental	
Operating Temperature	14°F ~ 158°F (-10°C ~ 70°C, according to IEC60068-2 with 0.5 m/s AirFlow)
Storage Temperature	-40 °F ~ 176°F(-40°C ~ 80°C)
Storage Humidity	95% @ 40C, non-condensing
Anti-Vibration	Random, 3.5Grms, 5~500Hz
Anti-Shock	—
Certification	CE/FCC class A


BOXER-8222AI

01

AI@Edge Solutions

Dimension

Unit: mm



Ordering Information

PART NUMBER	AI SOLUTION	LAN	USB	RS-232	I/O	STORAGE	EXPANSION	DISPLAY	MOUNTING	POWER	OPERATION TEMP	OPERATION SYSTEM
BOXER-8222AI-B3-1111	NVIDIA® Jetson Nano™	GbE PD x 1	GbE LAN x 1 USB 3.2 Gen 1 x 4	1	40-pin I/O 3.3V x 2 pin, 5.0V x 2 pin, GND x 8 pin, I2C x 2, SPI x 2, I2S x 1, UART x 1, GPIO x 4	16GB eMMC Mini-Card (Full Size) slot x 1	M.2 E-key 2230 slot x 1	HDMI x 1	Wallmount	DC 12V-24V	-10°C ~ 70°C with 0.5m/s airflow	NVIDIA Jetpack 4.5
BOXER-8222AI- JP46E-B1-1111	NVIDIA® Jetson Nano™	GbE PD x 1	GbE LAN x 1 USB 3.2 Gen 1 x 4	1	40-pin I/O 3.3V x 2 pin, 5.0V x 2 pin, GND x 8 pin, I2C x 2, SPI x 2, I2S x 1, UART x 1, GPIO x 4	16GB eMMC Mini-Card (Full Size) slot x 1	M.2 E-key 2230 slot x 1	HDMI x 1	Wallmount	DC 12V-24V	-10°C ~ 70°C with 0.5m/s airflow	NVIDIA Jetpack 4.6

Packing List

- Power Connector x 1
- BOXER-8222AI

Optional Accessories

- 1255300611
60W Power Adapter
- 1702031802
Power Cord (US type)
- 1702031803
Power Cord (European Type)
- 170203180E
Power Cord (Japanese Type)

Assured Systems

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

US

sales@assured-systems.com

Sales: +1 347 719 4508
Support: +1 347 719 4508

1309 Coffeen Ave
Ste 1200
Sheridan
WY 82801
USA

EMEA

sales@assured-systems.com

Sales: +44 (0)1785 879 050
Support: +44 (0)1785 879 050

Unit A5 Douglas Park
Stone Business Park
Stone
ST15 0YJ
United Kingdom

VAT Number: 120 9546 28
Business Registration Number: 07699660