



(ullet)

## LNX-1002G-10G-SFP

10-Port Industrial Gigabit Unmanaged Ethernet Switch, with 8\*10/100/1000Tx and 2\*10G SFP+ Slots

### Features

- Supports 8\*10/100/1000Tx and 2\*10G SFP+ Slots
- Store-and-Forward Switching Architecture
- 56Gbps Back-Plane (Switching Fabric)
- ▶ 16K MAC Address Table
- 9.6Kbytes Jumbo Frame Support
- Redundant Power Input Design: 12~48VDC
- Built-in 1 Relay Output for Power Failure Warning
- ▶ IP30 Rugged Metal Case Design
- DIN-Rail and Wall Mount Support Included
- ▶ Operating Temperature Range: -40°C~65°C
- ► 5-Year Warranty




#### INTRODUCTION

Antaira Technologies' LNX-1002G-10G-SFP are industrial gigabit unmanaged Ethernet switches featuring 8\*10/100/1000Tx Gigabit Ethernet ports and 2\*10G SFP+ slots which provide options for long-distance fiber connections, making it ideal for applications that demand high bandwidth and long-distance communication.

The LNX-1002G-10G-SFP are IP30 rated and DIN-rail mountable. These Ethernet switches are designed to support an operating temperature range from -40° to 65°C and are perfect industrial networking products to support any applications that require high bandwidth or high-density connections, such as power/utility, water wastewater treatment, oil/gas/mining, process control automation, security access control systems, and intelligent transportation systems.

#### DIMENSIONS





# entaira

igl( igr)

 $\bigcirc$ 

#### SPECIFICATIONS

Technology		
Standards	IEEE 802.3 10Tx Ethernet IEEE 802.3u 100Tx Fast Ethernet IEEE 802.3ab 1000Tx Gigabit Ethernet IEEE 802.3z 1000Base-X Gigabit Fiber IEEE 802.3ae 10 Gigabit Ethernet	
Processing Type	Store and Forward	
Protocol	CSMA/CD	
Flow Control	IEEE 802.3x back pressure flow control	
Switch Properties		
Switch Architecture	Back-Plane (Switching Fabric): 56.0Gbps	
Transfer Rate	14,880pps for 10Base-T Ethernet 148,800pps for 100Base-T Fast Ethernet 1,488,000pps for 1000Base-T Gigabit Ethernet 14,880,000pps for 10 Gigabit Ethernet Port	
Packet Buffer	8Mbits	
Jumbo Frame	9.6Kbytes	
MAC Table Size	16K	
Port Interface		
Ethernet Port	8*10/100/1000Tx Auto negotiation speed, Full/Half duplex mode, and auto MDI/MDI-X connection	
SFP Port	2*10G SFP+ slots	
LED Indicators	System: Power 1, Power 2, Fault Ethernet Ports: On-Link/Flash-data transmitting PoE: On-connected to PD devices SFP: Link/Active	
Network Cable	10Base-T: 2-pair UTP/STP Cat. 3, 4, 5 cable EIA/TIA-568 100-ohm (100m) 100Base-TX: 2-pair UTP/STP Cat. 5 cable EIA/TIA-568 100-ohm (100m) 1000BaseTX: 4-pair UTP/STP Cat.5/5E cable EIA/TIA-568 100-ohm (100m)	

Mechanical Characteristics		
Housing	Metal, IP30 protection	
Dimension	54 x 142 x 99 mm	
Weight	Unit: 2.33 lbs.; Shipping: 2.95 lbs.	
Mounting	DIN-Rail mounting, Wall mounting	
Power Requirement		
Input Voltage	12~48VDC Redundant Input	
Power Connection	1 removable 6-contact terminal block	
Relay Contact	24VDC, 1A resistive	
Overload Current Protection	Present	
Power Reverse Polarity Protection	Present	
System Power Consumption	10.2W	
Environmental Limits		
Operating Temperature	-40°C to 65°C	
Storage Temperature	-40°C ~ 85°C	
Ambient Relative Humidity	5 to 95%, (non-condensing)	
Regulatory Approvals		
ЕМІ	FCC Part 15 Subpart B Class A, CE EN55032/EN61000-6-4 Class A	
EMS	CE EN55035/EN61000-6-2 Class A, IEC61000-4-2,3,4,5,6,8	
Free Fall	IEC60068-2-32	
Shock	IEC60068-2-27	
Vibration	IEC60068-2-6	
Green	RoHS Compliant	
Certifications	FCC, CE, UL 61010-1, 61010-2-201	
Warranty	5 Years	

#### **ORDERING INFO**

LNX-1002G-10G-SFP 1

10-Port Industrial Gigabit Unmanaged Ethernet Switch, with 8\*10/100/1000Tx and 2\*10G SFP+ Slots

www.antaira.com

Toll-Free:1 (844) 268-2472 | T: 1 (714) 671-9000 | F: 1 (714) 671-9944



## **Assured Systems**

Assured Systems is a leading technology company with over 1,500 regular clients in 80 countries, deploying over 85,000 systems to a diverse customer base in 12 years of business. We offer high-quality and innovative rugged computing, display, networking and data collection solutions to the embedded, industrial, and digital-out-of-home market sectors.

### US

sales@assured-systems.com

Sales: +1 347 719 4508 Support: +1 347 719 4508

1309 Coffeen Ave Ste 1200 Sheridan WY 82801 USA

### **EMEA**

sales@assured-systems.com

Sales: +44 (0)1785 879 050 Support: +44 (0)1785 879 050

Unit A5 Douglas Park Stone Business Park Stone ST15 0YJ United Kingdom

VAT Number: 120 9546 28 Business Registration Number: 07699660